Oceanographic and Biological Data, Hawaiian Waters, January-July 1961



Marine Biological Laboratory
LIBRARY
(10V 1 0 1962
WOODS HOLE, MASS.

UNITED STATES DEPARTMENT OF THE INTERIOR
FISH AND WILDLIFE SERVICE

Created in 1849, the Department of the Interior--America's Department of Natural Resources-is concerned with the management, conservation, and development of the Nation's water, wildlife,
mineral, forest, and park and recreational resources. It also has major responsibilities for Indian
and Territorial affairs.

As the Nation's principal conservation agency, the Department works to assure that non-renewable resources are developed and used wisely, that park and recreational resources are conserved for the future, and that renewable resources make their full contribution to the progress, prosperity, and security of the United States--now and in the future.

UNITED STATES DEPARTMENT OF THE INTERIOR, STEWART L. UDALL, SECRETARY
Fish and Wildlife Service, Clarence F. Pautzke, Commissioner
Bureau of Commercial Fisheries, Donald L. McKernan, Director

OCEANOGRAPHIC AND BIOLOGICAL DATA, HAWAIIAN WATERS,

JANUARY - JULY 1961

By

Kenneth Sherman, Fishery Biologist and Robert P. Brown, Oceanographer Bureau of Commercial Fisheries Biological Laboratory Honolulu, Hawaii



United States Fish and Wildlife Service Special Scientific Report: Fisheries No. 436

Washington, D. C.

July 1962

ABSTRACT

This report contains the biological and oceanographic data collected on three cruises in the central North Pacific of the U.S. Bureau of Commercial Fisheries research vessel Charles H. Gilbert in 1961. The collection of data was designed to determine the distribution of surface water types and associated biota, particularly skipjack tuna, Katsuwonus pelamis (Linnaeus). The area investigated was between longitudes 150° W. and 170° W. and latitudes 15° N. and 24° N. The data presented comprise records of observations at bathythermograph lowerings, meteorological observations, zooplankton station positions, and weights of samples (g./1,000 m.³), records of sightings of fish schools, bird flocks, and aquatic mammals, surface trolling catch records, and skipjack tagging records.

CONTENTS

	Page
Introduction	. 1
Field party personnel	3
Field procedures	3
Bathythermograph and meteorological observations	3
Zooplankton collections	3
Surface fish school, bird flock, and aquatic mammal sightings	3
Surface trolling	3
Tagging	3
Laboratory procedures	4
Salinity determinations	4
Zooplankton	4
Literature cited	4
ILLUSTRATIONS	
Figure 1 Vessel track for Charles H. Gilbert cruise 51	1
Figure 2 Vessel track for Charles H. Gilbert cruise 52	2
Figure 3 Vessel track for Charles H. Gilbert cruise 53	2

TABLES

	·	rage
1.	Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 51	5
2.	Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 52	11
3.	Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53	14
4.	Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 51 .	20
5.	Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 52	25
6.	Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 53	28
7.	Zooplankton station positions and sample weights, Charles H. Gilbert cruise 51	32
8.	Zooplankton station positions and sample weights, Charles H. Gilbert cruise 52	32
9.	Zooplankton station positions and sample weights, Charles H. Gilbert cruise 53	33
10.	Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 51	35
11.	Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 52	37
12.	Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 53	39
13.	Record of surface trolling catch data for three survey cruises in Hawaiian waters in 1961	40
14.	Common and scientific names of fishes reported	41
15	Record of skipjack tagging	41

OCEANOGRAPHIC AND BIOLOGICAL DATA, HAWAIIAN WATERS,

JANUARY - JULY 1961

By

Kenneth Sherman, Fishery Biologist and Robert P. Brown, Oceanographer Bureau of Commercial Fisheries Biological Laboratory Honolulu, Hawaii

INTRODUCTION

This is our second report presenting oceanographic and biological data collected on cruises in the central Pacific area between latitudes 15° N. and 26° N., longitudes 145° W. and 170° W. by research vessels of the Bureau of Commercial Fisheries Biological Laboratory, Honolulu, Hawaii. The first report (Sherman and Brown, 1961) includes the tabulation of data collected on five cruises made during January-October 1959.

The three oceanographic surveys made in the period January-July 1961 were the final ones in a program undertaken by the Biological Laboratory, Honolulu, designed to: (1) delineate the boundaries between the North Pacific Central Water Type, the zone of intermediate salinity, and the North Pacific Equatorial Water Type; and (2) monitor the seasonal movements of those boundaries and of the associated marine biota, particularly the skipjack tuna, Katsuwonus pelamis (Linnaeus). Cruise periods and vessel tracks are shown in figures 1, 2, and 3.

The present report contains a record of observed physical and biological data from the three 1961 cruises. These are presented without analysis.




Figure 1. --Vessel track for Charles H. Gilbert cruise 51, January 16 to February 28, 1961.




Figure 2. -- Vessel track for Charles H. Gilbert cruise 52, March 27 to May 17, 1961.




Figure 3. -- Vessel track for Charles H. Gilbert cruise 53, June 20 to July 30, 1961.

An analysis of the 1959 data is contained in a report by Brown and Sherman $(MS)^{1/2}$. A report concerning the results of both the 1959 and 1961 cruises is now in preparation (Brown and Sherman $(MS)^{1/2}$.

FIELD PARTY PERSONNEL

<u>Charles H. Gilbert</u> - William T. Tanaka, Master

Cruise 51

Kenneth D. Waldron - Field Party Chief Robert P. Brown - Oceanographer Robert A. Morris - Fishery Research Biologist

Cruise 52

Kenneth D. Waldron - Field Party Chief (March 27 to May 8)

Kenneth Sherman - Fishery Biologist (March 27 to May 2)

Gary H. Miller - Fishery Aid (May 3-8) Richard S. Shomura - Field Party Chief (May 9-17)3/

Eugene L. Nakamura - Fishery Biologist (May 12-17)

Richard A. Barkley - Oceanographer (May 12-13)

Herbert J. Mann - Fishery Methods and Equipment Specialist (May 12-17)

Robert P. Brown - Oceanographer (May 17)

Thomas Y. Toyama - Physical Science Technician (May 17)

Cruise 53

Robert P. Brown - Oceanographer, Field Party Chief

Thomas Y. Toyama - Physical Science Technician

Gary H. Miller - Fishery Aid Roy Goss - Hawaii Science Club Student David Godfrey - Student (June 20 to July 3)

FIELD PROCEDURES

Bathythermograph and Meteorological Observations

Bathythermograph (BT) lowerings were made and a surface salinity sample was collected every 3 hours during the three cruises. The observations of weather and sea at each BT lowering appear in tables 1-3. The BT slides, prior to deposition in the U.S. Navy Hydrographic Office, were processed at the laboratory by the method described by Callaway (1957).

Weather observations were recorded at 0000, 0600, 1200, and 1800 GCT daily. These data are presented in tables 4 to 6 (U.S. Weather Bureau Forms 1210-F and 615-5). Recording and coding follow the "Manual of Marine Meteorological Observations" (U.S. Weather Bureau, 1959).

Zooplankton Collections

Ninety-nine plankton hauls were made. Of these, 49 were 1/2-hour, 0-60 m. oblique hauls and 50 were 1/2-hour surface tows.

All plankton hauls were made using a 1-m. net (King and Demond, 1953) with a body of No. 656 Nitex, aperture width 0.66 mm., and with a cod end of No. 308 Nitex, aperture width 0.31 mm. Positions, times of collection, and zooplankton weights are given in tables 7 to 9.

Surface Fish School, Bird Flock, and Aquatic Mammal Sightings

A watch was maintained for surface fish schools, birds, and aquatic mammals during the daylight hours. Summaries of these observations are presented in tables 10 to 12.

Surface Trolling

Two lines were trolled during daylight hours. A summary of surface trolling results for the three cruises is presented in table 13. Common and scientific names of fish caught are listed in table 14.

Tagging

A total of 241 skipjack were tagged with the all-plastic dart-type tags described by Yamashita and Waldron (1958). A summary of skipjack tagging results is presented in table 15.

^{1/} Brown, R. P., and K. Sherman (MS). Oceanographic observations and skipjack distribution in the north central Pacific. Paper No. V-ll, Pacific Tuna Biology Conference, Honolulu. Bureau of Commercial Fisheries Biological Laboratory, Honolulu.

^{2/} Brown, R. P., and K. Sherman (MS). Distribution of surface water types, skipjack, and other biota in the central Pacific during 1959 and 1961. Bureau of Commercial Fisheries Biological Laboratory, Honolulu.

^{3/} From May 9 to 17 field trials of experimental gill nets for capturing skipjack were conducted.

LABORATORY PROCEDURES

Salinity Determinations

The surface salinity samples obtained at each bathythermograph lowering were analyzed on shipboard using a modification of the Knudsen method (Van Landingham, 1957). A comparison of the shipboard and subsequent laboratory determinations showed no significant difference between the two. The salinity data are included in tables 1 to 3.

Zooplankton

For all cruises, the methods of determining zooplankton abundance described by King and Hida (1957) and Sherman and Brown (1961) were followed.

LITERATURE CITED

CALLAWAY, RICHARD J.

1957. Oceanographic and meteorological observations in the northeast and central North Pacific, July-December 1956. U.S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 230, 49 p.

KING, JOSEPH E., and JOAN DEMOND

1953. Zooplankton abundance in the central Pacific. U.S. Fish and Wildlife Service, Fishery Bulletin, vol. 54, no. 82, p. 111-144.

KING, JOSEPH E., and THOMAS S. HIDA

1957. Zooplankton abundance in the central Pacific, Part II. U.S. Fish and Wildlife Service, Fishery Bulletin, vol. 57, no. 118, p. 365-395.

SHERMAN, KENNETH, and ROBERT P. BROWN 1961. Oceanographic and biological data, Hawaiian waters, January - October 1959. U.S. Fish and Wildlife Service. Special Scientific Report-Fisheries No. 396, 71 p.

U.S. NAVY HYDROGRAPHIC OFFICE

1956. Bathythermograph observations. U.S. Navy Hydrographic Office Pub. 606-C, 2nd edition. 16 p.

U.S. WEATHER BUREAU

1959. Manual of marine meteorological observations. U.S. Weather Bureau Circular M, 10th ed., 127 p.

VAN LANDINGHAM, JOHN W.

1957. A modification of the Knudsen method for salinity determination. Journal du Conseil Permanent International pour l'Exploration de la Mer, vol. 22, no. 2, p. 174-179.

YAMASHITA, DANIEL T., and KENNETH D. WALDRON

1958. An all-plastic dart-type fish tag. California Fish and Game, vol. 44, no. 4, p. 311-317.

Table 1.--Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 51 (Recorded on Laboratory BT and environment log. Coding of data follows U.S. Navy Hydrographic Office, 1956.)

	Forel color	~ × × × × × × × ×	*****	****	$\times \times $
	Secchi depth	259 × × × × × × × × × × × × × × × × × × ×	$\times \times $	××××× 33××××	××××××××
pn	JunomA	7 t 7 X X X X B B B	X & X X X & X A A A	XXXXQQXXXX	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
Cloud	Type	$\infty \infty \infty \times \times \times \times \infty \infty \infty$	××××××××××××××××××××××××××××××××××××××	\times	$\times \infty \infty \infty \infty \times \times \times \times $
temp.	Wet bulb	19.3 21.3 21.3 21.3 21.3 21.6 22.0 22.0 22.4	23.3 22.9 22.8 22.6 21.7 21.7 22.3 22.3 21.8	22.1 21.3 21.3 22.5 22.4 22.4 21.4 21.8 21.1 20.6	20.1 20.8 20.8 19.9 20.1 20.7 20.7 20.7 20.6 21.1
Air t	Dry bulb	21.4 25.0 24.6 24.9 24.3 24.4 24.6 25.0	26.2 24.7 24.7 24.0 23.3 23.3 25.4 25.4 25.4 25.1	25.0 24.3 25.7 25.7 25.8 25.2 23.9 23.6 23.6	23.3 24.1 23.3 23.5 23.5 23.5 23.4 23.4 23.4
	Visibility		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	77788888777	r r 8 8 8 r r r r 4
	Sea	0000000000	0110000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000
	Weather	033300000000000000000000000000000000000	000000000000000000000000000000000000000	000 003 003 003 000 000	00 01 01 00 00 00 00 63
(-d	m) rətəmorsa	08 00 00 00 00 00 00 00 00 00 00	10 10 11 12 12 14 14 11 08	13 16 13 14 12 13 14 14	13 15 15 12 12 14 14 11 12
p	Speed (kn.)	08 12 14 14 10 10 13	15 11 11 11 06 09 00 01 08	09 11 10 07 07 07 12 10	07 005 006 009 113 114 117
Wind	Direction (.T°)	16 23 23 23 26 27 27	27 26 26 27 25 21 18 16 17 09	07 15 05 12 13 07 07 05	09 12 18 19 05 22 24 24 24 15
·đ	10-meter tem	24.7 25.0 24.9 24.9 25.1 26.9 24.9 24.9 24.8 24.8 25.0 25.0	24.4 24.1 24.7 24.7 24.6 24.9 25.0 25.1 25.1 25.1	25.1 25.0 24.9 24.4 24.3 24.3 24.2 24.2 24.2 24.2	23.8 23.4 23.4 24.4 24.4 23.3 23.3 23.3 23.3
۲٦.	inilsace salini (00\ ⁰)	34.91 34.62 34.62 34.80 34.49 34.41 34.41 34.41 34.41	34.17 34.15 34.15 34.07 34.07 34.07 34.09 34.09	34.15 34.10 34.11 34.39 34.44 34.44 34.48 34.48 34.48	34.81 34.92 34.94 34.94 34.93 34.99 34.99 34.96
	Bkt. surface (°C°)	24.5 25.1 24.9 24.7 24.7 24.8 24.8 24.8	24.6 24.6 24.6 25.3 25.3 25.3 25.8	25.1 24.9 25.0 24.3 24.6 25.0 24.9 24.2 24.2	23.9 24.0 23.8 24.7 24.7 24.0 23.3 23.0 23.0 23.1 23.1
	Thermocline depth (m.)	003 031 012 001 037 049 009 032 073	046 036 0395 029 024 038 002 001	012 063 032 070 073 003 002 002 001	021 047 001 001 002 004 006 054 048
	on shile Td.	001 002 003 004 005 005 007 008	011 012 013 014 015 016 017 018	021 022 023 024 025 026 027 028 029	031 032 033 034 035 036 037 038 039
	.W ebutignoJ	157°48" 157°40" 157°40" 157°10" 156°47" 156°31" 156°31" 156°31" 155°24"	155°05' 154°31' 154°14' 154°11' 153°43' 153°43' 153°43' 152°51' 152°55'	151°53' 151°33' 151°35' 151°36' 151°40' 151°41' 151°43' 151°43'	151°46' 151°45' 151°36' 151°33' 151°28' 151°21' 151°21' 151°15'
	.N estitude N.	21°10¹ 20°50¹ 20°50¹ 20°50¹ 19°42¹ 19°21¹ 19°02¹ 18°40¹ 18°40¹	17°39' 17°39' 16°56' 16°34' 16°17' 15°56' 15°56' 15°58' 16°03'	16°09' 16°18' 16°40' 17°09' 17°37' 18°26' 18°56' 18°58' 19°31'	19°53' 20°21' 20°51' 21°39' 22°05' 22°10' 22°41' 23°04' 23°32'
	(LJ) əmiT	1105 1400 1700 2000 2300 0200 0500 0800 1100	1700 2000 2300 0200 0500 0800 1100 1700 2000	2300 0200 0500 0800 1100 1400 1700 2230 0200	0500 1100 1400 1700 2000 2235 0200 0500 0800
	Date, 1961	1/18 1/18 1/18 1/18 1/19 1/19 1/19 1/19	1/19 1/19 1/20 1/20 1/20 1/20 1/20 1/20 1/20	1/20 1/21 1/21 1/21 1/21 1/21 1/21 1/21	1/22 1/22 1/22 1/22 1/22 1/22 1/23 1/23

1/ X indicates that no observation was recorded.

Table 1 .- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 51 (con.)

	Forel color	*****	$\times \times $	****	* * * * * * * * * *
	Secchi depth	× 2 × × × × × × ×	××××××	××××°°×××××	***
pn	Amount	000××000	0 × 0 × 0 × 0 × 0 × 0	32X 4 1 1 2 2 4 5 5 3	X 2 2 1 2 X 1 1 X 4
Cloud	Туре	∞ ∞ ∞ ∞ ∞ × × ∽ → ∞		∞ ∞ ∞ ∞ ⊙ ⊙ ⊙ ⋈ ⋈ ⋈ ∞	$\times \circ \circ \circ \circ \times \circ \circ \times \circ$
r temp.	Wet bulb	18.5 16.6 15.6 17.3 14.0 14.7 14.7 11.6 11.6	17.1 18.4 19.2 19.1 20.2 21.7 22.5 21.9 22.3	22.7 22.7 22.7 22.7 22.8 23.0 22.8 22.9	21.9 21.9 23.1 21.3 21.7 20.8 20.8 20.0 19.3
Air t	Dry bulb	22.9 21.4 21.1 21.9 20.8 18.6 19.4 18.9 20.8	21.3 22.3 22.3 23.1 25.2 24.4 24.6 24.6	24.5 24.4 24.4 26.7 25.2 25.8 25.0 26.1	25.1 26.7 25.3 25.3 25.0 25.0 23.9 23.5 24.2
	Visibility	v r ∞ ∞ ∞ ∞ ∞ ∞ ∞	8788888777	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
	Sea	mm4444mmm	mm4444mmmm	mmmnnnnnn	2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2
	Weather	21 00 00 00 00 03 03	02 00 00 00 00 03 03	00 01 01 03 03 03 03	00 00 00 00 00 00 00 00 00
(Barometer (mb	14 12 13 13 16 16 17 18 18	15 16 16 15 17 17 17 17 13	14 112 113 114 115 116 117	14 15 16 13 14 15 16 16 16
ld.	Speed (kn.)	19 19 19 19 16 10 10 14	13 15 16 16 17	14 13 11 10 11 08 09 09	05 06 06 06 08 08
Wind	Direction (.T°)	32 32 32 33 33 00 10 00 10	13 13 14 15 00 10 17 11 18	18 22 19 18 20 22 20 21	27 35 01 05 05 06 06
• 0	10-meter temp	23.3 23.0 23.1 23.1 23.1 22.2 22.2 22.2 22.2 21.9	23.7 23.7 23.7 23.8 23.8 23.8 23.8 24.4 24.1	24.4 24.6 24.6 24.7 24.7 24.7 25.0 25.1	25.4 25.1 25.1 25.1 25.1 25.1 26.9 24.7 24.7 24.8
Λ1	Surface saliniC (00/0)	34.94 35.06 35.06 35.06 35.21 35.22 35.22 35.22	34,83 34,83 34,83 34,85 34,84 34,87 34,87 34,78 34,78	34.60 34.51 34.50 34.50 34.20 34.20 34.20 34.20 34.20	34,19 34,23 34,26 34,28 34,28 34,28 34,28 34,24 34,33 34,33
	Bkt. surface temp. (°C.)	23.1 23.0 23.0 23.0 22.2 22.2 22.2 22.0 22.0	23.7 23.7 23.7 23.8 24.0 24.5 24.5 24.5	24.6 24.7 25.2 25.2 25.2 25.2 25.2	25.4 25.3 25.3 26.5 26.0 25.1 25.1 25.0 25.0
	Thermocline depth (m.)	002 073 063 002 060 037 027 031 009	091 063 005 042 042 038 055 067	067 012 073 091 001 006 001 012	012 040 006 008 008 008 035 007
	on spile Ta	041 042 043 044 046 047 047 048	051 052 053 054 055 057 060	061 062 063 065 065 066 067 070	071 072 073 074 075 076 077 078
	.W abuitgnod	151°19' 151°40' 152°26' 152°49' 153°31' 153°36' 153°36' 153°31' 153°31'	154°11' 154°11' 154°12' 154°12' 154°12' 154°12' 154°12' 154°12' 154°12'	154°08' 154°06' 154°06' 154°06' 154°10' 154°11' 154°28' 154°28'	155°50' 156°18' 156°44' 157°07' 157°07' 157°15' 157°20' 157°20'
	.W abutitad	23 % 77 23 % 47 23 % 47 7 23 % 47 7 23 % 47 7 23 % 52 23 % 55 23 % 56 23 % 50 2 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 23 % 50 2 % 50	23 °02 ' 22 °10 ' 22 °10 ' 21 °18 ' 20 °52 ' 20 °04 ' 19 °18 '	18°44' 18°17' 17°58' 17°33' 17°09' 16°44' 16°05' 16°05'	16°06° 16°08° 16°24° 16°24° 17°30° 17°30° 18°04° 18°25° 18°25° 18°33°
	Time (LT)	1100 1400 1700 2000 2300 0200 0500 0500 1100	1700 2000 2300 0200 0500 0800 1100 1400 1700	2300 0200 0200 0800 1100 1400 1700 2300 0200	0500 0800 1100 1700 2000 2300 0200 0500 0800
	Date, 1961	1/23 1/23 1/23 1/23 1/24 1/24 1/24 1/24	1/24 1/24 1/25 1/25 1/25 1/25 1/25 1/25	1/25 1/26 1/26 1/26 1/26 1/26 1/26 1/26	1/27 1/27 1/27 1/27 1/27 1/27 1/28 1/28 1/28

Table 1 .- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 51 (con.)

	Forel color	~ × × ×	\times \times \times \rightarrow \times	\times \times \times \times \times \times \times \times	****	****
	Secchi depth	55 × × ×	× × × × ×	× × × × × × × × × × × × × × × × × × ×	****	****
pn	JunomA	2 E H X	8 6 6 7 7	33371134155	6 4 4 7 7 X X 1 7 4 9	X X X X X X 0 0 0 ~ ~
Cloud	Type	4 8 6 X	m ∞ ∞ ∞ ∞	00000000744	~ ~ ~ × × × ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	×××××4444
Air temp.	Wet bulb	18.8 18.9 19.4 18.3	22.8 22.1 22.1 22.8 22.8	22.1 22.4 21.9 21.6 21.6 21.6 22.2 19.4 18.3	20.6 19.6 19.3 20.3 20.3 19.2 18.6 17.9 15.0	15.0 15.6 15.6 15.0 16.7 17.5 18.3 18.3
Air t	Dry bulb	23.7 24.2 25.6 24.0	25.8 24.7 24.6 26.4 25.3	25.0 26.7 24.7 25.1 25.1 25.3 23.9 23.0 23.6 25.4	26.7 24.0 23.9 23.5 21.1 21.7 21.1 20.1 23.1 19.9	19.9 20.2 20.2 20.2 20.2 22.2 22.3 22.3 22.3
	Visibility	~ ~ ~ ~	~ ~ ~ 8 8	00000000000000000000000000000000000000	88888877777	L 0 0 0 0 0 0 0 0 0
	Sea	~ ~ ~ ~	2222	1 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4 8 8 8 8 8 8 8 8 8 8 8	444440000
	Weather	01 00 00	00 01 01 01	00 00 00 01 01 03 03	00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00
(-c	Barometer (mb	18 16 16	16 16 17 18 16	115 117 119 119 119 22 20 20 20 20	18 17 19 20 19 21 22 22 22	24 23 24 27 27 27 25 25 20
nd	Speed (kn.)	000	00 00 80 80 80 00	10 10 10 07 11 10 13 00 01	04 06 07 09 23 23 23 20 19	24 23 23 22 22 24 26 26 26
Wind	Direction (.T.)	000 000 00	10 09 09 10	11 11 11 11 07 08 12 14 00 32 24	32 34 34 35 36 36 01 01	05 07 06 09 09 09 09
٠٥	10-meter temp (.D°)	25.3 24.6 24.8 24.0	25.1 25.2 25.3 25.4 25.4	25.3 25.4 25.4 24.4 24.4 24.4 24.4 24.4 24.7 24.7	24:5 24:1 24:4 23:2 23:2 23:3 23:8 22:4 22:4 22:7	22.3 22.6 22.7 22.7 22.1 22.1 22.3 23.3 23.3 24.9
ſλ	Surface salini (00\0)	34.54 34.57 34.54 34.98	sea.7 34.70 34.71 34.77 34.77	34,67 34,78 34,76 34,76 35,05 35,05 35,04 35,13 35,04	35.02 35.07 35.07 35.17 35.18 35.28 35.28	35.26 35.24 35.23 33.30 35.20 35.20 35.20 35.21 35.18
	Bkt. surface temp. (°C.)	2000	lost at : 25.2 25.2 25.3 25.4	255.5 26.5 26.5 26.6 26.6 26.6 26.6 26.6	25.2 24.5 23.4 23.4 23.7 22.5 22.5 22.5	22.4 22.5 22.5 22.6 22.1 22.1 23.1 23.1 23.1 23.4 24.8
	Thermocline depth (m.)	091 001 003 006	063 063 040 098 005 003	005 003 006 018 037 024 043 007 001	039 001 006 007 018 031 063 063	052 067 055 055 061 098 X 082 073
	on sbile Ta	081 082 083 084	085 to 106 106 107 107 109 110	111 112 113 114 115 116 117 118 119	121 1222/ 1282/ 124 125 126 127 128 129	131 132 133 134 135 136 137 138 139
	.W əbutigaod	157°34° 157°38° 157°37° 157°42°	with BT information 17°19' 162°31' 17°37' 162°32' 18°04' 162°34' 18°28' 162°32' 18°54' 162°31'	162°30' 162°29' 162°27' 162°25' 162°26' 162°26' 160°58' 161°29'	162°28° 162°30° 162°30° 162°30° 162°28° 162°28° 163°27° 163°47° 164°15°	165°02' 165°22' 165°42' 166°05' 166°34' 167°12' 167°12' 167°11'
	.N abutitad	19°21' 19°46' 20°14' 20°44'		19°20' 19°48' 20°17' 20°44' 21°06' 21°34' 22°02' 22°06' 22°08'	22 11 22 40 23 96 23 96 23 958 23 958 23 958 23 958 23 958 23 958 23 958 23 956	23.57 23.57 23.57 23.57 23.46 22.45 22.32 22.32
	Time (LT)	1100 1400 1700 2000	log sheet 0200 0500 0800 1100 1400	1700 2300 2300 0200 0500 0800 1100 0800 0800	1400 1700 2000 2300 0200 0500 0800 1100 1700	2000 2300 0200 0500 2000 2300 0900 1000 1600
	Date, 1961	1/28 1/28 1/28 1/28	7The 1/2/4/2/4/2/4/2/4/2/4/2/4/2/4/2/4/2/4/2/	22/4 22/5 22/5 22/5 2/7	2/7 2/7 2/7 2/7 2/8 2/8 2/8 2/8	2/8 2/8 2/9 2/9 2/9 2/10 2/10 2/10

 $\frac{2}{}$ BT numbers 128-223 are on +11 time.

	Forel color	*****	×	××	××	×	××	××	*************	××
	Secchi depth	****	×	××	××	×	××	××	*******	××
pn	JunomA	XXXXX	×	× ~	3	7	~ ×	××	XXXX00000 XXX00000XXX	7 7
Cloud	Type	XXXX00100X	×	× 4	7 7	4	∞ ×	××	\times \times ∞ ∞ ∞ \times	× 00
Air temp.	Wet bulb	20.2 20.6 21.4 21.7 21.7 22.8 22.8 22.6 22.5	22.7	22.8	22.2	22.5	22.3	22.9	23.1 22.5.5 22.5.5 22.5.5 22.5.5 22.5.7 21.1.7 21.1.4 21.1.4 21.1.4 21.1.4 21.1.4	20.2
Air t	(.C.)	23.0 23.9 24.4 24.2 24.2 26.1 23.9 24.3 24.3	25.1	25.6	25.6	25.7	25.6	26.2	25.6 25.7 25.7 25.7 25.7 25.7 25.7 25.7 25.7	23.1
	Visibility	00000445000	5	0 م	9 9	9	9 9	9 9		
	Sea	00000400444	7	4 W	9	М	т т	m m		7 7
	Weather	00 00 00 00 15 15 00 15	00	38	03	02	8 8	000	00000000000000000000000000000000000000	000
(**	Barometer (mb	20 21 19 17 16 16 15	15	13	15	11	12	13	13 13 14 17 18 19 19 19 19 19	20
pr	Speed (kn.)	20 22 21 22 22 20 20 20 21 21	16	20	17	17	19	16	16 11 11 11 11 11 11 11 11 11 11 11 11 1	111
Wind	Direction (.T.)	08 09 09 08 07 10 07 07	60	60 0	10	08	07	08	09 09 09 09 09 00 00 07 07 07 07 08	191
	10-meter temp	24.9 25.4 25.4 25.1 25.1 25.3 25.3 25.3 25.3 25.3 25.3	25.3	25.4	25.6	25.5	25.8	25.7	22222222222222222222222222222222222222	23.3
<u>۸</u> 1	Surface salini (00/0)	34.93 35.06 34.84 34.77 34.77 34.77 34.76 34.66						34.60	34.81 34.82 34.74 34.74 34.74 34.74 34.74 34.74 34.79 34.75 34.75 35.07 35.07 35.07	35.19
	Bkt. surface temp. (°C.)	24.7 24.7 25.4 25.2 25.3 25.3 25.3 25.3	25.4	25.4	25.6	25.7	25.9	25.6	25.55 25.55	23.3
	Thermocline depth (m.)	031 087 085 031 001 006 006 085	040	024	900	027	091	043	061 043 031 035 009 009 017 006 006 006 006 006 006 006 006 006 00	024
	on shile Ta	141 142 143 144 146 145 146 147 148 150	151	152	154	156	157	159	161 162 164 165 165 165 167 170 171 173 173 174 175 176	179
	.W abulignod	167°031 167°001 166°591 166°571 166°571 166°561 167°001 167°001	167°08'	167°11'	167°15'	168°13'	168°46'	169°35'	169°10' 169°10' 169°16' 169°18' 169°20' 169°20' 169°20' 169°22' 169°22' 169°22' 169°22' 169°34' 169°34'	169°39'
	.N shutitad	21°21' 20°57' 20°32' 20°06' 19°40' 19°14' 18°51' 18°55' 18°00'	17°11'	16°46′	15°58"	15°58'	15°58"	16°30'	16°46' 17°01' 17°28' 18°22' 18°22' 18°46' 19°08' 20°08' 20°38' 21°36' 22°40! 22°40! 22°40! 22°40! 22°40! 22°40! 22°40!	23°587
	Time (LT)	1900 2200 0100 0400 0700 1000 1300 1600 1900	0100	0400	1300	1600	1900	0100	0100 0400 0700 1000 1300 1300 0400 0700 1300 1300 1300 1300 1300 1300 0000 0000 0000 0000 0000 0000 0000 0000	1000
	Date, 1961	2/10 2/10 2/11 2/11 2/11 2/11 2/11 2/11	2/12	2/12	2/12	2/12	2/12	2/13	2/15 2/15 2/15 2/15 2/15 2/15 2/16 2/16 2/16 2/16 2/16 2/16 2/16 2/16	2/17

Table 1, -- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 51 (con.)

	Forel color	~ ××××	*****	***	****	$\times \times $
	Secchi depth	9 ××××	:××××	***	****	****
pn	tanomA	0 0 0 X X	×× × × ×	toxxxottox	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	0 X X X N N N X X X 0
Cloud	Lype	∞ ∞ ∞ × ×		$\varkappa \infty \infty \infty \infty \varkappa \varkappa \varkappa \infty \infty$	∞ ∞ √ × × √ ∞ ∞ ∞	$\infty \times \times \times \infty \infty \infty \times \times \infty$
temp.	Wet bulb		19.9 20.6 20.0 20.0 19.3	19.1 20.6 20.7 21.1 21.8 21.8 22.2 22.2 22.5 21.9	22.2 22.9 22.9 22.7 22.9 22.8 23.0 22.9 22.9	22.7 22.8 22.5 22.5 21.9 21.9 21.8 21.6 21.6
Air t	Dry bulb	23.1 23.6 22.8 22.3	22.1 22.7 22.8 22.4 22.4	22.7 23.6 23.3 24.7 24.4 24.6 25.0 25.0	25,3 25,1 25,3 25,3 25,0 25,0 25,0 25,0 25,4 25,4	25.2 25.3 25.3 25.3 25.3 25.3 25.3 25.3
	Visibility	<u>~ ∞ ∞ ∞ ∞</u>	0 00 00 00 00	8778887888	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~
	Sea	00000	22222	0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	444444444	444444444
	Weather	00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	0000033	01 03 03 00 00 00 01 01	03 00 00 00 00 00 00 00 00 00
(.d	m) reter (m	19 18 19 18	17 18 19 21 21	20 21 19 17 18 18 17 16	15 14 16 17 17 17 17 17	12 13 14 14 12 12 12 14
pı	Speed (kn.)	05 07 11 11	11 08 11 11 11 11 11 11 11 11 11 11 11 11 11	14 16 22 22 21 21 19 22 22 22 22 22 22 22 22 21 22 21 22 22	17 18 17 20 20 20 17 17 16	21 20 21 22 22 22 18 16 16
Wind	Direction (.T°)	000 000	00 00 00 00 00 00	00 00 00 00 00 00 00 00 00	07 08 07 07 07 09 08	08 09 09 09 09 09 08
·ď	10-meter tem	23.3 23.3 23.5 22.5 22.6	22.5 22.1 22.7 22.7 22.7	22.8 23.8 24.1 24.4 25.0 25.0 25.0	24.9 25.2 25.1 25.1 25.1 25.1 25.1 25.1 25.4 X	25.3 25.4 25.4 25.4 25.4 25.4 25.4 25.4 25.4
Αş	Surface saling (00\0)	4 5 5 5 6	35.21 35.24 35.23 35.21	35.21 35.09 35.09 35.06 34.83 34.83 34.84	34.74 34.77 34.77 34.77 34.75 34.75 34.74 34.74	34.62 34.73 34.80 34.58 34.40 34.41 34.41 34.40 34.40
	Bkt. surface temp. (°C.)		22.6 22.8 22.8 22.6 22.6	22.7 23.8 23.8 24.1 24.7 24.7 24.7 25.0	25.1 25.2 25.2 25.2 25.3 25.3 25.3 25.3	25.3 25.2 25.2 25.3 25.4 25.4 25.4 25.4 25.4
	Thermocline depth (m.)	001 006 006 006	049 001 012 018 037	055 009 079 019 003 006 006 067	012 098 001 040 002 006 056 007 023	046 040 024 012 021 073 055 046
	On shile TG.	181 182 183 184 185	186 187 188 189 190	191 192 193 194 195 197 198 199	201 202 203 204 205 205 207 208 209 209	211 212 213 214 214 215 216 217 218 219 220
	.W ebutignod	168°40' 168°11' 167°39' 167°20'.	166°44' 166°02' 165°33' 165°16'	164°34° 164°34° 164°34° 164°33° 164°33° 164°32° 164°32° 164°30° 164°30°	164°31' 164°30' 164°32' 164°32' 164°32' 164°32' 164°32' 164°32' 164°32' 164°32'	163°30°10°162°50°10°20°11°162°11°11°162°11°11°162°11°11°161°18°11°160°58°11°160°58°11°160°38°11°160°38°11°163°11°160°38°11°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°163°160°38°11°160°38°10°160°38°11°160°160°160°160°160°160°160°160°160°
	.N əbrittad	24°02° 24°02° 24°02° 24°02° 24°02°	23°58° 23°56° 23°60° 24°02° 24°02°	24°02' 23°08' 22°40' 22°10' 21°42' 21°15' 20°49' 20°23' 19°56'	19°06' 18°38' 18°13' 17°44' 17°16' 16°46' 16°46' 15°58' 15°58'	15°58' 16°00' 16°03' 16°09' 16°12' 16°12' 16°12' 16°12' 16°12' 16°11'
	(TJ) əmiT	1300 1600 1900 2250 0100	0400 1600 1900 2245 0100	0400 1000 1300 1600 1900 2200 0400 0700 1000	1300 1600 1900 2200 0100 0400 0700 11300 1600	1900 2200 0100 0400 0700 11000 1300 1600 1900 2200
	Date, 1961	2/17 2/17 2/17 2/17 2/18	2/18 2/19 2/19 2/19 2/20	2/20 2/20 2/20 2/20 2/20 2/20 2/21 2/21	2/21 2/21 2/21 2/21 2/22 2/22 2/22 2/22	2/22 2/23 2/23 2/23 2/23 2/23 2/23 2/23

Table 1, -- Record of observations at bathythermograph lowerings, Charles H. Cilbert cruise 51 (con.)

		Farel color	×	:×	×	×	×	×	×	×	×	×	×	>	: ×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	2	×	×	1	×	×	×
		Secchi depth	×	: ×	: ×	×	×	×	×	×	×	×	×	×	: ×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	38	×	×	:	× :	×	×
7	na	tanomA	×	: ×	9	9	9	9	_	×	×	×	7	2	2 1	2	×	×	×	×	9	-	_	2	٣	×	×	×	9	7	2	2		×	×	×
010.04	010	Lype	×	×	00	00	œ	∞	œ	×	×	×	00	0	6	6	×	×	×	×	œ	2	00	œ	œ	×	×	×	œ	9	00	∞	1	×	×	×
	our temp.	Wet bulb	22.2	21,9	22.4	22.5	22.2	22.8	22.1	21.7	22.1	22.3	21.5	21.4	21,5	21,1	21.4	20.1	20.4	20,3	20.2	19.7	20.2	20,3	19.8	19.6	19.7	19.7	19.4	20,3	19.8	20.6	0	20.7	20°2	20,1
Δ: 11. 6	AIL C	Dry bulb	24.9	24.7	25.0	25.6	25.3	26,1	24.8	24.7	24.9	25.6	24.7	24.3	25.0	24.4	24.7	23.2	23.9	22.9	22.8	23.1	23,3	23.8	22.9	22.9	23.0	22.5	22.5	23,1	23.0	23,2		23.1	23,3	23.2
		Visibility	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	ı	7	7	1
		Sea	7	4	7	7	7	4	7	4	୯୩	3	7	7	4	4	3	n	3	m	7	7	7	7	4	7	7	4	7	٣	c	c		4 .	4.	47
		TeditseW	8	00	03	2.5	15	02	01	00	00	63	25	0.1	01	02	00	00	00	00	8	0.1	01	03	03	00	00	00	00	25	01	02	(00	00	09
(•q1	m) rətəmorsd	13	12	13	14	13	12	14	15	1.5	14	16	17	1.5	14	17	18	17	16	18	19	18	17	19	20	19	19	20	21	19	18	6	81	19	18
	ום	Speed (kn.)	16	19	19	22	22	17	21	18	16	15	22	20	14	22	20	19	17	19	18	19	19	19	19	20	21	16	15	90	14	13	(Ω,	81	16
147 :	VV 1 F	Direction (.T°)	07	08	08	08	90	90	90	08	12	12	08	60	10	10	0.7	90	70	60	10	60	60	12	12	11	11	12	60	02	10	60		01	0 :	11
٠	d	10-meter tem (.C°)	25.3	25.0	25.3	24.7	25.0	24.9	25.2	25.3	25.2	54.9	24.9	25.1	24.6	24.4	23.6	23.3	23.3	22.8	22.7	22.8	22.8	22.5	22.4	22.3	23.3	23.0	22.9	22.9	23,2	23.3	i.	23.5	23.6	23.5
A	i 1 ț	Surface salin (00\0)	34.39	34,40	34.37	34,35	34.49	34,38	34.42	34.40	34.44	34.42	34.52	34.54	34.60	34.61	35.00	35.14	35.19	35,17	35.21	35.23	35.22	35.26	35.27	35.05	35.01	35.06	35.01	35.04	35.02	35.05	L	35.00	34.91	34.96
		Bkt. surface temp. (°C.)	25.1	25.1	25.0	24.9	25.0	25.0	25.0	25.2	25.3	25.0	25.0	25.1	24,8	24.5	23.6	23.4	23.2	23.0	22.8	22.7	22.8	22.5	22.3	23.2	23,4	22.9	23.0	23,0	23,3	23,3		23.4	23.5	23,4
		Thermocline depth (m.)	061	040	061	034	014	037	800	091	054	070	003	073	001	032	027	100	007	085	041	031	027	037	034	061	690	070	061	670	600	024	(020	049	052
		on sbile Ta	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	i.	251	252	253
		.W ebutigade	160°18'	159°59'	159°38'	159°30'	159°32'	159°34'	159°36'	159°32'	159°28'	159°24'	159°22'	1590231	159°25	159°28'	159°39'	159°48'	159°44'	159°28'	159°26'	159°25	159°23'	159°12'	158°54"	158°39'	158°22'	158°06'	157°51'	157°39'	157°37'	157°36'	6	157°34'	157°32'	157°30'
		.N stitude N.	16 *08 1	16°08'	16°07'	16091	16,640	17°19'	17°49'	18°17'	18°46'	19°13'	19°421	20.101	20°32'	20°59	21°27'	21°50'	21014'	22°38"	23 02 1	23°28'	23°53'	24°00"	24.02	24°05'	24.08	24°11'	24°11'	24°07'	23 ° 42 1	23°12'		22°44	22,18	21°52'
		Time (LT)	0100	0000	0020	1100	1400	1700	2000	2300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0020	0800	1100	1400	1700	2000	2300	0200	0500	0800	1100	1400	1700	0	2000	2300	0200
		Date, 1951	2/24	2/24	2/24	2/24	2/24	2/24	2/24	2/24	2/25	2/25	2/25	2/25	2/25	2/25	2/25	2/25	2/26	2/26	2/26	2/26	2/26	2/26	2/26	2/26	2/27	2/27	2/27	2/27	2/27	2/27		2/2/	2/27	2/28

Table 2.--Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 52 (Recorded on Laboratory BT and environment log. Coding of data follows U.S. Navy Hydrographic Office, 1956.)

-					
	Forel color	****	***	\times	$\times \times \times \times \times \times \times \times \times$
	Secchi depth (.m)	********	*****	*****	****
pn	JunomA	77652X1226	××~~~~××~~	7788118887	トレのレXレレレト
Cloud	Type	0000HX0000	00××0000××	0 × 8 0 0 0 × × 0 0	
temp.	Wet bulb	18.3 17.0 18.2 18.6 18.6 19.6 20.3 20.3	20.5 20.3 20.1 18.9 17.7 17.9 16.7 16.1 15.6	16.4 16.9 18.1 19.4 20.0 20.0 19.1 18.3 17.7 18.8	20.7 21.8 22.2 22.3 22.7 22.7 23.6 23.6 23.6
Air t	Dry bulb	22.9 22.6 22.6 23.4 23.2 23.2 25.0 25.0 26.0	24.0 23.9 22.4 22.2 21.7 21.7 21.2 20.6 20.3	20.7 21.1 20.6 21.0 21.4 22.8 22.7 22.7 22.3 22.3 23.3	24. 23. 24. 24. 25. 25. 25. 25. 25. 25. 25. 25. 25. 25
	Visibility	@ @ @ @ @ @ @ @ @ @	887777777	111111001111	7776666777
	Sea	4mmmmmmmn	mm44444mmm	0000000000000	0000000000
	Weather	03 00 00 00 00 03 03 15	000 115 002 002 000 000	02 02 50 50 15 02 01 00 00	02 15 15 15 16 16 16 17 17 17
(.0	Barometer (m	17 16 17 17 17 17 17 17 17 13	15 14 15 16 16 17 17 18	16 14 14 12 10 10 11 10 11 10 11	13 11 11 11 11 11 11 11 11 11 11 11 11 1
P	Speed (kn.)	19 17 12 13 13 13 07 07	10 14 22 24 22 24 22 16 11 11 13	07 10 14 06 22 22 14 12 10 00 03	09 11 12 10 07 08 09 09
Wind	Direction (.T°)	07 05 06 09 07 10 12 12 03	00 00 00 00 00 00 00 00 00 00 00 00 00	05 06 01 02 36 33 32 28 14	01 05 02 07 09 13 25 09
	10-meter temy (.C.)	25.2 25.2 24.4 23.9 23.9 23.9 24.1 24.4	24.6 24.7 24.7 24.4 24.3 24.1 24.1 24.0 23.7 22.7	22.4 22.8 23.7 24.00 24.2 23.8 23.8 24.1 24.1 25.2	255.4 255.3 255.3 255.1 255.1 255.1
Α:	Surface salini (00\ ⁰)	34.92	34.83 35.89 35.08 35.12 34.99 35.13 35.13 35.13	35.20 35.21 35.12 35.02 35.02 34.96 34.15 34.78	34.64 34.67 34.68 34.68 34.79 34.67 34.81 34.67
	Bkt. surface temp. (°C.)	25.0 24.5 24.3 23.7 23.7 23.7 23.7 23.7 23.7 25.6	24.7 24.3 24.4 24.2 24.4 24.4 24.4 23.7 23.7	22.6 23.7 23.7 24.3 24.6 23.8 24.6 23.8 24.3	25.6 25.5 25.5 25.5 25.4 25.2 25.2 25.2 25.5 25.5
	Thermocline depth (m.)	018 024 052 012 012 006 006 003	003 024 031 024 003 031 058 058	005 021 059 060 059 024 005 037	049 012 018 049 073 024 006 005
	on shile TB.	001 003 004 005 006 007 008	011 012 013 014 015 016 017 018 019	021 022 023 024 025 026 027 028 029	031 032 033 034 035 036 037 038 039
	.W ebustignod	158°277 158°277 158°457 160°231 160°511 162°291 163°421 163°421	164°40° 165°09° 166°04° 166°04° 166°14° 166°14° 166°14° 166°14° 166°40°	167°07' 167°08' 167°07' 167°05' 166°56' 167°21' 167°21' 167°32' 167°32'	166°20' 166°02' 166°14' 166°42' 167°27' 168°38' 168°38' 168°43' 168°43'
	Latitude M.	21°43' 21°54' 22°08' 22°07' 22°07' 22°02' 22°02' 22°02' 22°02' 22°02' 22°00'	21°58' 21°57' 22°52' 22°07' 22°22' 22°40' 22°58' 23°17' 24°00' 24°16'	23 °58 '23 °30 '23 °30 '22 °41 '22 °23 '32 °22 '33 '22 °23 '34 °22 °23 °21 °59 °21 °59 °21 °59 °20 °50 °4 °20 °50 °4 °20 °40 °40 °40 °40 °40 °40 °40 °40 °40 °4	19°44' 19°22' 19°18' 19°36' 19°36' 19°36' 19°35' 18°54' 18°54'
	(LT) smiT	1400 1700 2000 1800 2100 0800 1100 1400 1700	2300 0200 0800 1100 1700 2300 0800 1100	1400 1700 2000 0200 0800 1345 1700 2000 0200	1100 1400 1700 2000 0200 0800 1100 1400 1700 2000
	1961 ,916C	4/4/ 4/4/ 4/4/ 4/6/ 4/6/ 4/6	6/4 4/7 4/7 4/7 4/7 4/7	4/9 4/9 4/10 4/10 4/10 4/10 4/11 4/11	4/11 4/11 4/11 4/12 4/12 4/12 4/12

 $\underline{1}/$ X indicates that no observation was recorded.

Table 2, -- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 52 (con.)

	Forel color	***	*****	****	*****
	Seccht depth	****	***	****	****
pn	JanomA	78788t0t0X	××~~~~~~~	78788X0700	X ~ ~ ~ ~ ~ X ~ 8 8
Cloud	Type	× 00 00 00 00 00 00 00 00 00 00 00 00 00	××∞∞∞∞×∞∞	4 8 9 9 X 9 O 4 9 9	400×47444
temp.	Wet bulb	23.2 22.4 22.7 22.8 23.2 23.2 24.7 23.1	23.4 22.3 22.3 22.3 22.6 22.6 20.4 20.4	19.8 17.7 20.9 22.0 21.7 20.9 20.9 21.1 21.1	21.7 22.1 22.1 22.5 22.3 23.1 23.4 23.4 21.9 22.1
Air t	(.C.) Dry bulb	25.7 26.3 26.9 26.2 25.0 26.0 26.0 26.5 26.5	25.3 23.9 26.0 26.1 25.1 24.4 22.9 23.1 23.6	23.7 23.5 23.5 23.5 23.6 23.6 23.6 23.6 23.6	24.0 23.3 24.7 24.7 24.7 25.0 25.0 23.4 23.4
	Visibility	7777799977	r r r r r r r r r r r r	7777799999	0000000000
	. Sea	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	~~~~~~~~~~	64444 N N N O O N	747474747
	Weather	00 00 01 03 03 52 15 15 02	00 50 115 01 115 115 00 00 00	01 02 16 25 81 81 80 15 01 15	00 25 02 15 02 00 00 16 25 02
(.c	Barometer (mb	15 14 14 13 13 13 16 16	115 115 116 116 117 117 119	19 20 19 17 18 16 16 15	13 14 15 13 13 13 14 14
pu	Speed (kn.)	18 14 18 11 10 00 10	09 09 09 09 05 05 11 11 14	18 27 22 22 22 20 20 19	19 20 16 17 21 19 09 17 22
Wind	Direction (.T°)	10 08 08 08 10 10 11 11 11	0.5 0.5 1.2 3.6 0.3 0.5	000 000	09 111 09 10 09 09 05 113 14
·d	10-meter temp	255.7 255.7 255.7 255.8 26.7 26.7 256.4 256.4	25.6 25.6 25.7 25.7 25.1 25.1 26.1 27.2	24.0 24.1 24.2 23.8 24.9 25.2 25.1 25.1 26.8	24.8 25.1 25.0 25.3 25.3 X X X 25.3 25.3 25.3 25.3
Ϋ́	Surface salini'	34.71 34.66 34.67 34.73 34.73 34.66 34.66 34.68	34.65 34.65 34.66 34.66 34.65 34.65 34.90 34.90	35.07 35.04 34.98 34.72 34.72 34.79 34.97	34.98 34.79 34.80 34.80 34.81 34.75 34.75 34.75
	Bkt. surface temp. ('C.)	25.7 25.8 26.1 25.9 26.1 25.9 26.3 26.3 25.8	25.2 25.4 25.8 26.0 26.0 25.7 25.3 25.3 24.3	23.9 23.9 24.2 24.8 24.8 25.0 25.1 25.1 24.8	24.8 24.9 25.3 25.3 25.2 25.2 25.7 25.7 25.7
	Thermocline depth (m.)	024 015 012 003 003 020 002 009	007 009 030 012 012 014 037 014	024 044 055 055 038 034 037	030 049 053 032 006 021 X 018 018
	on sbile Td.	041 042 043 044 045 046 047 048	051 052 053 054 055 056 057 058 060	061 062 063 064 065 065 067 069	071 072 073 074 075 076 077 078
	.W abutignod	168°35' 168°20' 168°59' 169°24' 169°24' 169°24' 169°47' 169°26' 169°26'	169°05' 168°33' 168°30' 168°20' 167°54' 167°54' 167°54' 167°54' 167°54' 167°54'	166°32' 166°38' 166°49' 166°49' 167°04' 166°26' 166°43' 166°43'	165°34' 165°00' 164°52' 164°45' 164°39' 164°30' 163°53' 163°15'
	.V stitude V.	17°35' 17°01' 16°43' 16°22' 16°42' 16°42' 16°43' 17°03'	17°55' 18°21' 19°08' 19°38' 20°05' 20°31' 20°57' 21°41' 22°31'	23°28' 23°28' 23°06' 22°46' 22°12' 21°47' 21°36' 21°24' 21°36' 21°36'	20°49' 20°34' 20°15' 19°55' 19°37' 19°16' 19°26' 19°26'
	(L1) əmiT	0200 0800 1400 0800 11115 1000 1300 1230 1705	2300 0200 0800 1100 1400 1700 2000 0200 0800	1400 1100 1400 1700 0800 11100 1400 1700	0200 0800 1100 1400 1700 2000 0200 0800 1100
	[96[31e]	4/13 4/13 4/14 4/14 4/17 4/17 4/18 4/19	4/19 4/20 4/20 4/20 4/20 4/20 4/21 4/21	4 4 4 4 5 5 7 3 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4/28 4/28 4/28 4/28 4/28 4/29 4/29

_					
	Forel color	****	****	\times \times \times \times \times \times \times	\times
	Secchi depth	****	****	****	***
pn	JanomA	~~×00000××0	2 0 0 0 X X X X 0 0 0 0	**************************************	6 × 0 × 0 × 0 × 0
Cloud	Lype	6 X X O O O O X X O O	444 × × × × 5 5 5 5	X X X X 7 7 7 7 X X	444×4046×0
emp.	Wet bulb	22.3 22.5 22.5 22.2 23.0 23.0 23.1 22.9	22.3 22.4 23.0 22.8 22.8 22.8 22.8 22.8 22.8 22.8	22.7 22.3 22.5 22.5 21.9 22.7 22.7 22.6 22.6 22.9	22.2 21.9 22.7 21.9 21.4 20.6 20.9 20.9 21.6 20.9
Air temp	Dry bulb	25.0 25.1 25.1 25.2 25.2 25.3 25.3 25.3 25.3	25.1 25.1 25.2 25.2 25.1 26.9 25.3 25.4 25.4	25.6 25.4 24.7 24.7 24.6 25.1 25.0 25.3 25.3 25.3 25.3	25.6 25.1 24.7 24.7 22.8 24.7 22.8 24.6 24.6 26.0
L	Visibility	000000000	8 7 7 9 9 9 9 9 9 9	778888677	7779998886
L	Sea	446666664	444466644	444444444	14474440
	Weather	00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 03 03 03 03	01 03 03 25 01 80 16 15 02 03
(.c	lm) rətəmorsa	12 14 15 15 15 15	17 16 15 17 18 17 15 16 18	18 19 18 18 17 17 17	18 16 17 17 17 18 19 19 X
p	('na') beeqS	14 13 13 13 14 15	18 15 15 14 16 16 17	21 24 19 00 00 19 17 17 18	25 20 20 18 32 07 04 21 22 15
Wind	Direction (.T°)	11 11 12 11 16 16 17	14 11 11 13 13 10 07 07 08	111 088 07 000 14 11 10 10 10 09	09 10 11 10 13 05 06 08
·d	10-meter tem;	25.6 25.4 25.4 25.4 25.4 25.4 25.3 25.3 25.3 25.3	25.2 25.1 25.1 26.1 24.7 25.3 25.3 25.3 25.0	25.4 X X X X X X X X X X X X X X X X X X X	255.2 255.2 255.0 255.0 255.0 256.2 256.2 256.2 256.2
ſλ	iniface saltud (00\0)	34,43 34,43 34,41 34,49 34,48 34,47 34,47 34,46	34,44 34,44 34,44 34,44 34,47 34,47 34,47 34,47 34,67 34,67 34,67	34.55 34.55 34.55 34.55 34.50 34.45 34.46 34.46	34,48 34,48 34,52 34,52 X 34,70 34,49 34,60 34,60
	Bkt. surface temp. (°C.)	25.5 25.5 25.5 25.5 25.2 25.2 25.2 25.2	25.2 25.1 25.1 25.0 25.0 25.3 25.3 25.3	25.5 25.6 25.6 25.0 25.3 25.3 25.3	25.3 25.2 25.0 25.5 25.2 24.7 24.7 24.7 24.7 25.2
	Thermocline depth (m.)	017 019 019 015 026 024 012 024	017 019 024 012 013 015 006 031 003	015 X X X 018 X 009 011 012	026 027 020 026 X 014 011 023 005
	on shile Ta	081 082 083 084 085 086 087 088 088	091 092 093 094 095 096 097 098 099	101 102 103 104 105 106 107 108 109	111 112 113 114 115 116 117 118 119
	.W ebuitgnod	162°11' 161°12' 161°17' 160°41' 160°21' 159°59' 159°44' 159°20' 159°20'	158°34' 158°27' 158°22' 158°11' 158°17' 158°10' 158°03' 157°55'	157°36' 157°34' 157°27' 157°27' 157°20' 157°26' 158°18' 158°18' 158°41' 158°41'	158°29' 158°14' 157°36' 157°33' X 156°36' 156°10' 156°15' 156°15' 156°55'
	.N shutitad	19°34' 19°39' 19°40' 19°41' 19°21' 19°21' 19°28' 18°58' 18°58'	18°27' 18°27' 18°30' 19°22' 19°51' 20°51' 20°55' 20°55'	20°31'20°09'19°45'19°21'19°21'18°58'18°58'18°26'	18°03' 18°17' 18°46' X 19°15' 19°35' 20°25' 21°11'
	Time (LT)	1700 2000 0200 0800 1100 1400 1700 2000 0200	1100 1400 1700 2000 2300 0200 0500 0800 1100	2000 2300 0200 0500 0800 1120 1400 1700 2000	0800 1200 1600 2000 0000 0400 0800 1030 2010
	Date, 1961	4/29 4/29 4/30 4/30 4/30 4/30 4/30 5/1	5/1 5/1 5/1 5/1 5/1 5/2 5/2 5/2	5/5 5/5 5/5 5/5 5/5 5/5	5/6 5/6 5/6 5/7 5/7 5/7 5/8 5/13

Table 3.--Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53 (Recorded on Laboratory BT and environment log. Coding of data follows U.S. Navy Hydrographic Office, 1956.)

	Forel color		×	×	×	×	×	-4	×	×	×;	×	×	×	×	×	×	×	×	×	×	×	Þ	: ×	: >	×	×	×	×	×	×	×	×	×	×	>4 :	×	××	× >	K 5	× >	<
ц	Secchi depth (m)	1	XT/	×	×	×	×	29	×	×	× :	×	×	×	×	×	×	×	×	×	×	×	Þ	: >	: ×	: ×	×	×	×	×	×	×	×	×	×	×	×	×	×;	Κ >	× >	⋖
pno	Amount		Ŋ	47	×	3	7	9	7	×	4:	×	×	7	'n	5	9	9	9	×	×	9	V	9) L^		en	×	×	4	7	7	ιC	4	2	2	Þ¢ i	Λ V	٥	0 1	n 4	5
C10	Type		00	00	×	oo	00	00	00	×	00 :	×	×	00	oo	00	00	80	4	×	×	4	7	00	000	00	4	×	×	00	6	00	00	00	00 (00	×	20 C	x0 \	٥٥	x> 00	٥
emp.	Wet bulb		20.9	21.2	22.1	21.6	21.4	21.4	22.2	×	22.4	21.9	21.8	22.2	22.5	22.3	21,8	22.5	21.9	21.9	22.2	21.7	22 1	22.4	22.7	22.2	22.2	22.2	21,3	21.8	22.5	22.2	21.4	22.8	21,9	21.8	21.2	77.77	77.77	77.7	21.8	6.77
Airt	Dry bulb		26,6	25,3	24.1	25.2	25.6	25.6	25.7	×	25.4	7.62	24.7	25.0	25.4	25.1	24.5	26.7	25.3	24.9	24.6	24.4	Lf"	1 6	, ,	25.2	9	'n	'n	Ś	'n	ů.	25,3	27.8	25.8	25.1	24.0	25.6	25.6	23.9	25.3	0.07
	VirlidiaiV		7	7	-	7	00	1	7	×	- 1	_	7	7	7	7	7	7	7	7	7	7	7		9	7	7	7	7	7	7	9	7	7	7	9	9	- 1		- 1		,
	Sea		4	m (m	m	2	m	7	×	4	4	4	4	S	5	2	4	7	3	3	3	77	· W	1 4	. 17	ις	7	3	4	4	4	4	4	4	4	m ·	4.	4 .	4 ·	40	2
	Weather		03	00	00	01	03	03	10	×	00	0	00	03	14	10	01	01	03	00	00	03	5	00	3 2	03	01	03	00	03	14	15	01	03	01	00	14	03	15	000	010	3
(.dm	Barometer (1		15	16	9 I	14	16	16	15	×	16	11	15	1.5	16	16	14	12	14	15	14	13	7.	, L	1 1	14	15	16	14	14	16	17	16	15	16	17	16	16	17	i c	17	0
g	Speed (kn.)		04	08	24	12	05	05	27	×	24	7.0	22	24	21	22	20	24	22	17	18	22	20	9 -	22	22	22	24	18	22	20	22	21	20	20	100	22	21	20	77	13	77
Wind	Direction (.T°)		90	07	10	60	17	17	60	×	08	/0	08	60	08	90	07	08	60	60	11	08	ä	60	07	07	07	05	90	07	08	02	90	90	90	90	07	07	00	02	90	10
·dw	10-meter ter (°C°)		26,1	25.4	25.3	24.8	25.4	25.9	25.6	×	24.9	24.9	25.0	25.1	25.2	25.6	24.8	24.8	24.9	24.9	24.9	24.6	7 7/6	24.8	54.9	24.7	24.7	24.9	24.9	24.9	24.9	24.8	24.4	24.7	24.7	24.4	24.9	24.9	24.3	7.4.7	24.4	C ' 47
Yain	sitssessitud (oo\0)		34.53	34.64	34.64	34,63	34,60	34.51	34,60	34.69	34.67	34.58	34,50	34,65	34,62	34,44	34,55	34.55	34.56	34.57	34.55	34.54	37, 58	37 72	34.51	34,51	34.62	34,62	34.61	34.63	34.61	34,58	34.70	34,85	34,63	34.64	34.71	34.76	35,20	35,16	35,17	33.00
	Bkt. surfac		26,3	25.4	25,4	24.7	25.4	26.4	25.5	25.0	24.9	24.9	24.9	25.2	25.1	24.7	24.9	24.9	24.8	25.2	24.8	24.8	7 7/6	25.0	0.67	24.8	24.7	24.6	24.9	24.8	24,8	24.8	24.6	24.6	24.5	24.5	24.9	25.0	24.2	24.2	24.3	1.17
	Thermocline depth (m.)		900	010	021	037	024	018	031	×	072	9/0	990	052	062	085	018	073	079	620	078	900	05%	210	040	064	073	290	290	640	055	045	650	037	024	061	040	031	043	031	037	240
	on sbile TB		001	005	003	004	002	900	007	×	800	600	010	011	012	013	014	015	016	017	018	010	0.00	020	022	023	024	025	026	027	028	029	030	031	032	033	034	035	036	037	038	600
• 1	W abutignod		157°05'	156°51	156°35°	156°27	156°06'	156°00'	155°51'	155°41	155°32°	155,20,	155°071	154°54"	154°42'	154°27	154°15°	154°03°	153°43	153°20'	152°561	152 *33 *	1520101	1970151	1510381	151°38"	151°38'	151°38'	151°37'	151°37'	151°36'	151°36'	151°35'	151°34'	151°33'	151 °33 '	151°33'	151°32'	151°32'	151 933	151,32	70 707
	.N ebutitude N.		20°421	20°26	20°12'	19°56'	19°32'	19.05	18,491	18°30'	18°11'	17°52'	17°35'	17°171	16°59'	16,38	16°22°	16°05'	16°02'	16°04'	16°06	160.91	16011	160121	16°301	16.53"	17°16'	17°42"	18°07	18°32"	18°58¹	19°23'	19%61	20°11'	20°36'	20°57	21°22	21°46°	22°12'	22°38'	23 02 1	73 00
	(LJ) əmiT		2000	2300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0200	0000	1100	1400	1700	2000	2300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0200	0800	1100	1400	1/00
	Date, 1961		6/23	6/23	6/24	6/24	6/24	6/24	6/24	6/24	6/24	6/24	6/25	6/25	6/25	6/25	6/25	6/25	6/25	6/25	6/26	6/26	26/26	96/9	6/26	6/26	6/26	6/26	6/27	6/27	6/27	6/27	6/27	6/27	6/27	6/27	6/28	6/28	6/28	6/28	6/28	07/0

 $\underline{1}/$ X indicates that no observation was recorded.

Table 3 .-- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53 (con.)

	Forel color	****	****	\times \times \times \times \times \times \times	****
	Secchi depth	****	****	****	****
Cloud	JanomA	00X00X0044	4 X 0 4 4 0 0 7 0 X	7778779777	XXXXXX
Clo	Lype	$\infty \infty \times \infty \overset{1}{\sim} \times \infty \infty \infty \infty$	$\infty \bowtie \infty \infty \infty \infty \infty \infty \times \times$	∞ ∞ × 0 ∞ ∞ 0 0 0 0 0	$\infty \infty \infty \infty \infty \infty \times \times$
temp.	Wet bulb	21.7 22.2 21.4 21.8 21.7 21.2 21.7 22.9	22.4 22.7 22.7 22.7 22.2 23.1 23.6 23.6 23.6 23.6	22.8 22.2 24.0 23.6 23.9 23.4 24.1 24.1 24.1 23.3 23.3	24.1 23.3 23.3 23.3 22.8 22.8 22.7 22.7
Air t	Dry bulb	25.0 24.4 24.9 25.1 25.0 25.0 25.0 27.5	25.2 25.6 25.6 25.6 25.6 25.6 25.6 25.6	25.0 26.8 26.0 26.7 26.7 26.6 25.6 25.6 26.7	26.6 26.6 26.6 26.6 26.5 26.2 27.2 X X 25.8 25.8
Г	Visibility	1111111001	1911111100	L 8 8 8 8 L 0 L L L	
	БэZ	4m444X4mmm			mmmnnmxnn
	Weather	14 00 00 01 01 14 02 03	00 60 114 01 01 03 01 14 00	03 00 01 14 14 21 00 01	00 03 03 00 00 01 01
(.d	Barometer (m	118 118 117 118 119 119 117	117 116 117 117 116 116	16 17 16 16 115 17 115	116 115 117 117 118
pı	Speed (kn.)	23 20 21 18 20 20 17 17 18 18	15 17 17 17 18 19 10 11 16	16 17 13 16 20 20 17 18	15 22 12 11 11 11 14 13 X X 07
Wind	Direction (.T°)	000 000 000 000 000 000 000 000 000 00	111 122 133 144 111 111 112 09	00 00 00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00 00 00 00 00
٠d	10-meter tem	24.5 24.6 24.8 24.8 24.7 24.7 24.9 24.9	25.1 25.1 25.1 25.0 25.1 25.4 25.4 25.0 25.0	25.1 25.2 25.5 25.6 25.6 25.6 25.6 25.6 25.6	25,3 25,3 25,3 26,1 26,1 26,5 26,5 26,5 26,5
κş	Surface salini (00\ ⁰)	34, 70 34, 79 34, 79 34, 66 34, 66 34, 93 34, 95 34, 76 34, 76 34, 76	34,92 34,66 34,65 34,65 34,65 34,61 34,61 34,61 34,61 34,51	34,58 34,61 34,47 34,54 34,64 34,68 34,68 34,68 34,78 34,78	34,70 34,65 34,65 34,63 34,67 34,66 34,64 34,60 34,60
	Bkt. surface temp. (°C.)	24.7 24.7 24.7 24.7 24.7 24.7 24.7 24.7	24.9 25.1 25.2 25.0 25.4 25.7 25.7 25.7 25.7 25.0	25.1 25.1 25.2 25.3 25.6 25.5 25.6 25.4 25.5	25.3 25.4 26.0 26.0 26.3 26.3 25.9 26.4
	Thermocline depth (m.)	043 037 061 058 054 054 005 018	043 059 055 055 061 006 012 018 043	098 040 061 018 017 012 043 061 031	116 012 006 006 031 037 037 031 x
	on shile Td.	0440 0441 0441 0445 0445 0446 0446 0446	049 050 051 052 053 054 055 056	059 060 061 062 063 064 065 065	069 070 071 073 074 075 X 076
	.W ebutignde	152°32° 153°02° 153°10° 153°51° 154°04° 154°06° 154°05° 154°05°	154°03' 154°02' 154°01' 154°01' 154°01' 154°00' 154°00' 154°00' 154°00'	154°16' 154°48' 155°00' 155°25' 156°25' 156°27' 156°27' 157°06'	157°17 157°26 157°26 157°31 157°33 157°43 157°43 158°05
	.N əbulitude N.	23 59 23 59 23 59 23 59 23 59 23 50 23 50 23 50 25 25 25 25 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	22°18' 21°48' 20°46' 20°46' 19°43' 19°16' 18°50' 18°55'	17°33' 17°07' 16°40' 16°21' 16°12' 16°14' 16°14' 16°19' 16°19'	17 % 2 1 18 % 3 2 1 18 % 3 2 1 19 % 0 0 1 19 % 2 9 1 19 % 2 9 1 2 0 % 2 3 1 2 0 % 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0 % 2 2 1 2 0
	Time (LT)	2000 2300 0200 0500 0800 0930 1100 1700	2300 0200 0500 0800 1100 1700 2000 2300	0500 0800 1100 1400 1700 2300 2300 0200 0800	1100 1400 1700 2300 2300 0500 0500 2300
	Date, 1961	6/28 6/29 6/29 6/29 6/29 6/29 6/29	6/29 6/30 6/30 6/30 6/30 6/30 6/30 6/30	1/7 1/7 1/7 1/7 1/7 1/7 1/7 1/7 1/7 1/7	7/2 //2 //2 //2 //2 //2 //2 //2 //2 //2

	Farel polor	*****	****	$\times \times $	\times \times \times \times \times \times \times \times
	Secchi depth (.m)	****	****	****	****
Cloud	JanomA	N X E 4 N E 7 A O X	0 0 4 M V O M X M O	0400m×0m0r	2 × 4 × 4 × 4 × 4 × 4 × 4 × 4 × 4 × 4 ×
Clo	Lype	× × × × × × × × ×	00 00 4 00 00 00 N X 00 00	$\infty \infty \infty \infty \infty \infty \times \infty \infty \infty \infty$	$\infty \times \vdash \vdash \times \infty \otimes \infty \otimes \times \times$
temp.	Wet bulb	22.9 22.4 23.2 23.7 23.3 23.3 23.3	23.9 24.4 24.7 23.7 23.8 23.8 24.1 24.1	24.0 23.3 23.3 23.4 22.9 23.4 23.1 23.9 24.1 24.1	23.1 22.8 26.9 23.1 23.1 23.1 23.1 23.6 X
Air	Dry bulb	25,4 25,0 25,6 27,2 27,2 26,1 26,1 26,3 26,3	26.1 27.3 27.3 28.1 26.1 26.4 25.9 27.2 27.2	28.2 26.9 26.7 26.6 27.0 26.1 27.2 27.2 27.2	26.5 26.6 26.0 26.1 26.1 26.2 29.0 25.9 X
	Visibility	011111110	911111111		XX11166611
	Sea	000000000		8888888888	N N M M M M M M M M M M M M M M M M M M
	Weather	01 02 03 03 03	21 03 02 01 03 00 00 01 03	02 01 03 03 03 03 03	01 03 00 00 01 03 02 X
(.0	Barometer (mb	16 16 17 17 16 15 15	16 15 15 17 17 16 16	15 16 16 15 16 16 16	116 116 117 117 X X
pu	Speed (kn.)	11 06 12 14 15 13 16 16	18 19 16 15 16 17 17	19 17 14 13 11 07 07 11 08	113 16 16 17 18 18 18 18 18 X
Wind	Direction (.T.)	10 13 14 12 29 09 08 10 11	00 00 00 10 10 11 13 00 00 00	09 09 07 07 08 09	00 07 07 07 08 09 09 09
• d	10-meter temp	26,4 25,9 25,9 26,1 26,0 25,8 25,8 25,8	25.7 25.9 25.9 25.9 25.9 25.9 26.1 26.1	26.3 26.5 26.2 26.2 26.2 26.2 26.2 26.3 26.4 27.1	26.6 26.9 26.9 26.9 26.1 26.3 26.3 X
۲۱	Surface salini	34.58 34.66 34.67 34.68 34.67 34.67 34.63 34.58 34.58	34.53 34.54 34.54 34.55 34.57 34.61 34.60 34.63	34.61 34.63 34.63 34.61 34.61 34.55 34.55 34.58	34.69 34.69 34.88 34.89 35.05 35.07 34.91 34.90
	Bkt. surface temp. (°C.)	26.3 25.9 25.7 26.0 26.1 26.1 25.7 25.7 25.7	25.7 25.8 25.8 25.9 25.0 26.2 26.2 26.2	26.7 26.2 26.2 26.2 26.2 26.2 26.5 26.5 26.5	26.7 26.9 26.9 26.5 26.2 26.2 26.2 26.2 26.2
	Thermocline depth (m.)	012 031 018 012 009 015 018 061	060 055 018 024 058 049 037 079	023 031 031 061 043 031 055 043 064	031 037 018 024 027 031 006 019 X
	on spile TA	078 079 080 081 082 083 084 085	088 089 090 091 092 093 095 096	098 099 100 101 102 103 104 105 106	108 109 110 111 112 113 114 115 X
	.W ebutignod	158°27' 158°30' 158°46' 158°46' 159°01' 159°16' 159°16'	159°37' 159°55' 160°20' 160°48' 161°18' 161°18' 162°18' 162°48' 162°41' 163°11'	164°00' 164°30' 164°32' 164°31' 164°36' 164°41' 164°41' 164°43'	164°49' 164°50' 164°48' 164°44' 164°46' 164°36' 164°36' 164°36' 164°36'
	.M ebuitude N.	20°02' 19°37' 19°11' 18°28' 18°28' 17°40' 17°40' 17°21' 16°57'	16°10' 16°01' 16°05' 16°10' 16°07' 16°06' 15°58' 15°54'	15 °59 °1 °16 °23 °16 °23 °17 °19 °17 °19 °17 °19 °18 °13 °19 °19 °19 °19 °19 °10 °10 °10 °10 °10 °10 °10 °10 °10 °10	19°58' 20°26' 20°55' 21°12' 21°41' 22°29' 22°53' 23°17'
	(LT) əmiT	0200 0500 0800 1100 1400 1700 2300 2300 0200	0800 1100 1400 1700 2300 2300 0200 0500 0800	1400 2000 2300 2300 0200 0530 0800 1100 1700	2000 2300 0140 0400 0700 1000 1300 1600 1900 2200
	Date, 1961	7/8 7/8 7/8 7/8 7/8 7/8 7/9	7/9 7/9 7/9 7/9 7/10 7/10 7/10	7/10 7/10 7/10 7/10 7/11 7/11 7/11 7/11	7/11 7/12 7/12 7/12 7/12 7/12 7/12

Table 3, -- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53 (con.)

	Forel color	****	***	****	****
\vdash	(.m)	****	***	***	***
-	Secchi depth	0 × 4 × 2 × 2 × 4 × 5	72555555555555555555555555555555555555	4 r m m x m x r m x	0049767XX
Cloud	JunomA	$\infty \times \infty \times \infty \times \infty \times \times \times$	$\infty \otimes \infty \otimes \infty \otimes \times \times \times \infty$	$\infty \infty \infty \infty \times \infty \times \infty \times \times$	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
F	Type				
Air temp.	Wet bulb	23.0 22.23.0 22.23.0 22.33.0 22.33.0 22.33.0 22.33.0	23. 23. 23. 23. 23. 23. 23. 23. 23. 23.	23.8 24.1 24.1 23.3 23.3 23.3 23.3 23.3 23.3	22.9 22.9 23.3 23.6 23.6 23.6 23.6 23.6 23.6 23.7 22.7 22.7 23.6
Air	Dry bulb	26.6 25.8 26.9 X 27.2 26.8 26.1 27.2 25.9	26.8 26.0 25.7 25.7 26.7 26.7 26.7 26.7 26.7	27.9 27.0 27.1 26.9 26.7 26.7 27.1 26.9 26.9	26.6 26.7 26.7 27.7 27.7 27.7 26.7 26.7
	Visibility	001X11C10	700777097	L 9 L L C P L C P P P P P P P P P P P P P P	1911111110
	Sea	000000000000	~~~~~~~~~	~~~~~~~~~	
	Weather	00 00 00 00 00 00 00	00 00 00 00 00 00 00	18 21 01 03 00 00 00 00 00	000 033 033 001 001
(,c	Barometer (ml	19 18 19 19 17 17 19	17 17 17 17 16 115 115 115	116 113 113 114 114 110 113	11 11 12 14 13 13 15 15 15
Wind	Speed (kn.)	10 12 13 13 15 16 17 12	07 13 14 03 19 18 18 18 15	17 15 18 21 21 21 28 17 17 13	15 17 17 13 13 17 16 16 16
Wi	Direction (.T.)	09 07 08 09 09 00 07	06 06 09 116 07 08 08 09 09	08 00 00 00 00 00 00 00 00 00	000 000
. 6	10-meter tem]	26.1 26.0 26.0 26.6 26.6 26.6 26.1 26.1	26.3 26.1 26.6 26.9 26.9 27.1 27.1 26.9 26.9	27.0 27.0 27.1 27.2 26.8 27.0 26.9 26.9	26.7 26.7 26.9 26.6 26.6 26.6 26.8 27.1 27.1
έλ	Surface salini (00\0)	34, 88 35, 04 35, 08 34, 99 34, 99 34, 93 35, 05 35, 05	35,00 34,98 34,97 34,97 34,85 34,77 34,77 34,94 35,03 34,94	34.84 34.78 34.76 34.68 34.66 34.71 34.70 34.67 34.67	34,67 34,65 34,65 34,63 34,63 34,63 34,63 34,63 34,64 34,70
	Bkt. surface temp. (°C.)	26.1 26.0 26.0 26.7 26.5 26.5 26.3	26.3 26.3 26.5 27.0 26.8 26.8	26.9 27.0 27.1 26.9 26.9 26.9 26.8 26.9 26.8	26.8 26.5 26.8 26.8 26.7 26.9 27.0
	Thermocline (.m)	015 024 024 X X 031 021 018 018	018 018 037 018 024 037 037	049 006 024 049 073 012 018	021 104 031 031 031 006 061 037
	on sbile Ta	116 117 118 X X 119 120 121 121 122	125 126 127 128 129 130 131 132 133	135 136 137 138 139 140 141 142 143	145 146 147 148 149 150 151 151 153
	.W ebuitgnod	164°44' 165°16' 165°16' 166°10' 166°33' 167°26' 167°26' 168°21'	169°15°1 169°21°1 169°21°1 169°25°1 169°38°1 169°38°1 169°38°1 169°38°1	169°41' 169°40' 169°39' 169°31' 169°31' 169°31' 169°31' 169°31'	168°41' 168°15' 167°52' 167°26' 167°06' 167°09' 167°12' 167°12' 167°12'
	Latitude N.	24.02. 24.06. 24.06. 23.55. 23.55. 23.55. 23.56. 23.56. 23.56.	23°54' 23°28' 22°58' 22°35' 22°08' 21°42' 21°42' 21°42' 20°58' 20°58' 20°58'	19°421 19°211 18°591 18°381 18°121 17°451 17°451 16°021	16°03' 16°03' 16°02' 16°02' 16°02' 16°25' 16°25' 17°20' 17°46'
	Time (LT)	0100 0400 0700 1000 1300 1300 1900 2200	0400 0700 1300 1300 1900 2200 0100 0400	10000 1300 1600 1900 2200 0400 0400 1600 1900	0100 0400 0700 1000 1300 1600 1900 2200 0100
	Date, 1961	7/13 7/13 7/13 7/14 7/14 7/14 7/14 7/14	7/15 7/15 7/15 7/15 7/15 7/15 7/16 7/16	7/16 7/16 7/16 7/16 7/17 7/17 7/19 7/19	7/20 7/20 7/20 7/20 7/20 7/20 7/20

Table 3, -- Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53 (con.)

ı	Forel color	>	< >	< ><	×	: ×	: >	< >	< >	< >	< ><	;	×	×	×	×	×	×	×	×	×	×	>	< >	< ⊳	< >	< >	; >	: >	: >	: >	: ><	:	×	×	×	×	×	×	×	×:	×	X
ų;	Secchi dept (m,)	>-	< >	< ×	: ×	< >	: >	< >	< >	< >	< >		×	×	×	×	×	×	×	×	×	×	Þ	< >	< >	< >	< >	< >	4 >	: >	: >	: ×	:	×	×	×	×	×	×	×	× ;	× ;	×
pı	JanomA	. 6	, ,	9	7	7	· >	< >	< >	4 1-	, _		4	c,	m	×	×	2	3	2	4	m	~	۱ >	< ⊳	40	1 n	٦ ٣	יו ר) LC	1 4	- 10	ŀ	3	2	2	2	9	7	4	×	×	יי
Cloud	Type	3	, a	1,2	00	1,0	\ \ 	< >	< >	< α	o 00	>	8,9	00	00	×	×	œ	œ	00	∞	œ	α) Þ	< ⊳	¢ 00) a	0 00	οα	, α) 00	0 00	>	8,1	00	00	00	00	00	00	×	> 4 (Ø
Air temp.	Wet bulb										23.1		22.8	22.2	22.3	21.7	21.8	22.0	22.7	22.5	22.5	22.1	22.2	7.77	22.52	21.0	22.57	22.5	23.2	0000	2000	23.2	1	23,3	22.4	22.5	23.6	23.3	22.3	22.7	23.3	22.7	22.5
Air t	Dry bulb	7.96	26.7	26.9	28.4	26.6	26.2	26.3	7 7 7 0 7	0.02	27.0	1	26.1	26.1	25.8	25.8	25.8	25.4	26.6	26.7	26.5	26.5	757	7 2 2 4	25.7	25.2	25.6	2 4 6	26.4	25.7	26.1	26.1	0	26.2	25.6	25.8	28.1	25.8	26.5	25.8	26.0	26.1	722.1
	Visibility	7	- 1		7	7	. 1	7	- 0	0 1	- 1	-	7	7	7	7	7	7	7	o	Ø	00	a	0 0	7 0	, ,	- 1	- 1	- 1	- 1	- 1	- -		1	7	7	7	7	7	7	7	7	
	Sea	~	٦ ٣	3 (7)	· (*	1 (1)	ן ני	٦ ٣	7 (ጎ ሮ	20	1	2	7	2	2	2	c)	2	2	2	2	c	4 (4 0	7 0	7 0	4 0	4 6	4 0	40	7 6	1	2	2	2	2	2	3	3	2	m i	m
	Weather	03	5 6	0.0	10	0.0	2 0	010	0 0	000	70	4	0.1	0.1	01	00	00	01	03	01	01	00	10	1 0	25	1 5	700	3 5	7 5	3 6	700	03	3	0.1	01	01	02	16	03	02	00	01	0.1
(.dm)	Barometer (16	2 1	16) L	16	17	17	17	17	17	1	17	16	17	17	17	16	17	18	17	16	17	110	17	71	1 10	1 1	7 7	11	15	1 2	24	15	14	15	15	. 14	12	14	15	14	12
pı	Speed (kn.)	1,4	17	15	17	19	7 -	† \ \	7 .	17	114	4	13	10	11	13	12	18	10	10	10	08	0	0 0	00 5	13	15	10	D 4	7 7	1 7	12	14	11	14	11	12	16	11	14	13	10	13
Wind	Direction (.T°)	90	000	0.7	0.7	90	2 0	700	2 0	70	00	5	07	60	60	60	60	08	90	12	60	60		71	50 -	07 0	5 -	17	000	0 0	0 0	100	2	11	11	10	11	10	60	60	60	60	60
•du:	10-meter te (.0°)	26.8	0.02	27.0	27.0	26.7	0 70	0.02	0.07	20.02	0.02	507	26.3	26.3	26.6	26.4	26.1	26.0	26.0	26.1	26.3	26.2			1.07							1017		26.6	26.6	26.6	26.8	26.8	26.9	26.9	26.7	26.6	26.2
	Surface sali (00/0)	37. 68	24.00	34.76	37. 70	37, 97,	24.74	34.68	34.90	24.70	35.00	20.00							35,00				70 70	14.74	34.00	34.03	34.90	24.02	04.00	70.40	04.00	24.52	1000	34.84	34.57	34.70	34.73	34.69	34.64	34.61	34.66	34.65	34.67
	Bkt. surfac	0 70	2007	20.9	1.70	26.72	0.00	6.07	20.0	26.5	26.4	7007	26.7	26.7	26.6	26.3	26.1	26.0	26.0	26.1	26.8	26.6	2	0.02	76.0	76.0	25.9	7.07	4.02	707	7.07	1.07	1.02	26.9	26.6	26.6	27.0	27.0	56.9	26.0	26.1	26.5	26.0
Į.	Thermoclin (.m.) depth	1 70	100	031	1000	010	170	040	049	043	038	000	037	900	900	012	024	031	052	050	900	003	000	900	210	024	024	κ δ	040	000	000	0.12	040	012	031	061	900	600	012	037	031	055	037
* (on sbile TA	15.5	150	157	150	150	103	160	191	162	163	104	165	166	167	168	169	170	171	172	173	174	1	C/1	1/p	1/7	1/8	χ,	1/9	100	101	707	107	184	185	186	187	188	189	190	191	192	193
۰.۷	M əbuligno.L	1000121	101-09	167007	1670051	167.05	10/ 00	167.07	16/08	167,08	167.08	CO. / QT	167°02"	166°37'	166°11'	165°47'	165°24"	165°04'	164°38°	164°07	163°42'	163°17'	0	105-201	162°26'	162-02	162-07	162-05	102-04	. 202 207	100011	162-13	102 14	162°15"	162°12'	162°09'	162°07	162°06'	162°00'	161°57'	161°54'	161°39'	161°11'
	.N shutitad	12000	18-30.	10023	10/001	19-46	07.07	20.40	21.0/	21°34'	22.01	. 67 - 77	22°51'	23 05 1	23°19"	23°31¹	23°421	23°52"	23 °58 "	23°591	24°01'	24.02	0 700 70	24.04	24-04	23,25	23 26	22.29	22-33	27.77	21,46	21,20,	20-33	20°25	20°03'	19°32'	19.02	18°40"	18°05	17°39'	17°12'	17.00"	17,000
	(LJ) amiT	0000	00/0	1200	2000	1000	1900	2200	0100	0400	0700	TOOT	1300	1600	1900	2200	0100	0070	0200	1000	1300	1700	0	2000	2300	0200	0200	0800	1100	1400	1/00	2000	7300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0200
	Date, 1961	00/1	1/21	7/21	17/1	7/21	17//	7/21	7/22	7/22	7/22	77//	7/22	7/22	7/22	7/22	7/23	7/23	7/23	7/23	7/23	7/23	0	1/23	7/23	7/24	1/24	1/24	1/24	1/24	1/24	7/24	47//	7/25	7/25	7/25	7/25	7/25	7/25	7/25	7/25	7/26	7/26

Table 3.--Record of observations at bathythermograph lowerings, Charles H. Gilbert cruise 53 (con.)

	Forel color	×	×	×	×	×	×	×	×	×	×	×	: :	۷ :	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
	Secchi depth	×	×	: ×	×	×	×	×	×	×	×	×	1 >	۷ :	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
pn	tanoatA	4	0	1 7	2	2	2	7	2	7	4	7	c	n •	4	N	7	7	m	7	9	7	×	7	7	7	2	7	5	×	×	×	×
Cloud	Type	00	00	, ∞	00	80	œ	00	œ	œ	00	00	0	0 0	00	00	ສຸ	1,8	1,8	1,8	4,8	1,8	×	ω ∞	3,00	3,8	1,8	1,8	3,8	1,8	×	×	×
Air temp.	Wet bulb	22.5	21.8	23.2	22.9	22.7	23.1	23,7	23.0	22.7	23.3	23.2	1 0	6.22	23.2	22.4	22.8	22.4	22,1	22.2	22,3	22.1							22.4		×	×	×
Air t	Dry bulb	25.8	25.8	27.1	27.1	25.8	26.0	26.7	26.3	26.0	26.7	76.7	0	0.02	26.1	26.4	25.7	25.8	25.7	26.1	25.2	26,1	24.7	25.0	25.0	25.0	24.4	25.6	25.2	25.6	×	×	×
L	Visibility	7	7		7	7	7	7	7	7	7	7	۰ ۲	- 1	7	7	7	7	7	7	7	7	9	7	7	7	7	7	7	7	×	×	×
L	Sea	m	~	2	2	2	2	2	2	2	m	0	1 (7 0	m	2	3	~	3	3	3	4	7	c	3	3	C	3	m	m	×	×	×
	Weather	00	0	03	0.1	02	02	01	01	03	14	10	000	00	14	03	02	03	01	01	01	03	14	14	02	03	21	03	0.5	03	×	×	×
(.d	m) rətəmorsd	1.5	15	14	13	15	16	15	15	16	16	16) L	10	16	17	17	18	19	18	18	18	19	17	13	17	17	16	16	16	×	×	×
Wind	Speed (kn.)	14	=	13	16	15	17	13	13	11	13	Ξ	4 =	11	21	90	19	18	19	17	12	18	14	12	26	16	14	16	1.5	14	×	×	×
Wi	noitestia (.T°)	11	11	08	60	07	60	08	08	08	60	00		0.0	08	08	08	08	07	08	60	60	07	60	60	60	10	60	60	60	×	×	×
٠ď	IO-meter tem	25.9	26.0	26.1	26.3	26.2	26.2	26.1	25.6	26.9	26.7	26.6	000	20.02	26.4	26.4	26.1	25.6	26,1	26,2	25.7	25.9	25.8	26.0	25.6	25.7	25.6	25,8	25.7	26.5	×	×	×
K3	Surface salini (00/0)	34.65	37, 58	34.66	34.67	34.82	34.68	34.67	34.67	34,58	34.57	37, 82	7000	34,85	34.65	34.66	34.69	34.82	34.66	34.72	34,84	34.82	34.77	34.76	34,61	34.89	34.92	34.92	34.79	34,89	34,89	34.88	34.86
	Bkt. surface temp. (°C.)	26.1	26.0	26.3	26.4	26.2	26.0	26.3	26.3	26.6	26.6	26.6	0 0 0	20.02	26.5	26.4	26.1	25.8	26.2	26.2	25.7	25.7	25.6	25.9	25.5	25.7	25.6	25.8	25.7	25.7	25.7	25.7	25.7
	Thermocline depth (m.)	670	010	900	600	018	015	031	027	026	059	010	770	900	037	024	037	043	031	031	940	037	043	018	003	055	058	061	053	050	×	×	×
	On shile TG.	194	105	196	197	198	199	200	201	202	203	20%	100	502	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	×	×	×
	.W ebuignod	160°45'	160021	160°00"	160°00'	160.001	160,001	159°59'	159°59'	159°56'	159°53'	150052	10000	159°54'	159°54'	159°55'	159°49'	159°49'	159°44"	159°37'	159°08'	158°35'	158°09¹	157°43°	157°20'	156°57'	157°06'	157°17'	157°23"	157°32'	157°40'	157°40'	157°38'
	.M əbutitude	17,000	160501	16.59	17°27'	17°571	18°27'	18°57'	19°22	160.61	20°16"	10.67.01	74 07	21,11,	21°41'	22°06'	22°43'	23°10'	23°38"	24°01'	24.03	24°05'	24°06"	24°04'	24°03'	24°021	23°40"	23°25"	23 03 1	22°40'	22°23'	22°01'	21°391
	(LJ) əmiT	0800	1100	1400	1700	2000	2300	0200	0200	0800	1100	1,000	1400	1700	2000	2300	0500	0800	1100	1400	1700	2000	2300	0200	0200	0800	1100	1400	1700	2000	2300	0200	0200
	Date, 1961	7/76	7/1	7/26	7/26	7/26	7/26	7/27	7/27	7/27	7/27	7/17	17/1	7/27	7/27	7/27	7/28	7/28	7/28	7/28	7/28	7/28	7/28	7/29	7/29	7/29	7/29	7/29	7/29	7/29	7/29	7/30	7/30

Table 4.-- Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 511/

	Height	~	2	×	2	2	2	×	2	7	3		×	m	٣	٣	×	7	2	3	×	m
Waves	Period	m	· ch	×	3	3	m	×	3	2	4		×	m	٣	3	×	3	3	3	×	2
W	Direction	00	18	XX	2.7	27	27	XX	33	34	34		×	01	36	36	×	35	34	34	XX	29
	fgid mqvT	0	0	×	9	∞	×	×	00	0	×		×	0	0	×	×	0	0	×	×	0
	Type middle	0	0	×	9	7	×	×	6	7	×		×	9	0	×	×	0	0	×	×	9
spr	Height low	7	4	×	7	4	×	×	2	7	×		×	7	4	×	×	4	7	×	×	4
Clouds	Type low	∞	00	×	2	-	×	×	m	2	×		×	œ	2	×	×	2	Н	×	×	1
	wol JunomA	m	2	×	5	3	×	×	4	_	×		×	m	9	×	×	4	_	×	×	4
	imoms IstoT	т	-	6	9	7	×	×	7	_	×		×	4	9	×	×	4	\vdash	×	×	9
e c	Sea water		9.92						76.5	78.1			76.8	75.7	77.0	75.6	76.1	75.2	76.5	73.9	73.4	73.9
Temperature (° F.)	Wet bulb	70.3	70.3	70.8	71.6	73.4	73.2	72.6	71.0		71.2	1	71.2	72.5	9.07	6°69	4,89	68.8	6.79	69,3	69.1	70.3
Ten	Dry bulb	77.0	76.8	75.7	76.2	0.67	76.5	75.2	74.0	0.97	8.97		75.8	78.3	75.8	75.0	73.6	75.3	0.47	74.9	73.1	73.8
	Amt, change		1.5	-	-	-														2.5		
sure	Characteristic	00	2	9	\vdash	9		4	7	7	3		7	2	9	-	7	2	7	2	9	4
Pressure	Bar. corr.	1006.4	10001	1008.8	1010.2	1008.8	1010.5	1011.5	1013.5	1010.8	1012.9		1015.6	1014.6	1012.2	1014.2	1012.9	1015.2	1011.9	1013.5	1011.2	1011.9
ler	Past	-	0	0	0	2	2	×	2	_	_		×	0	2	0	0	0	0	0	×	×
Weather	Present	03	00	00	03	03	02	00	02	0.1	00		02	02	03	00	00	00	01	00	00	00
pu	Speed (kn.)	12	14	10	13	17	13	11	08	0.5	80		11	10	07	12	11	0.5	90	13	14	19
Win	Direction	20	23	26	27	27	26	25	18	17	04	1	15	12	07	0.5	60	12	19	22	24	24
	Visibility	98	86	86	98	98	86	86	86	66	98		00	66	66	98	86	66	66	98	98	86
	(TDD) əmiT	0000	0090	1200	1800	0000	0090	1200	1800	0000	0090	1	1200	1800	0000	0090	1200	1800	0000	0090	1200	1800
	.W sbutignod	157.6°	157.2°	156.5°	156.0°	155,4°	154.8°	154.1°	153.8°	152.7°	151.9°		151.5°	151.6°	151.6°	151.7°	151.7°	151.7°	151.6°	151.4°	151.4°	151.2°
	.N əbutitude N.	20.9°	20.10	19,3°	18.7°	18.0°	17.3°	16.5°	16.0°	15.9°	16.0°	,	16.1	17.2°	18.1°	18,8°	19.4	20.3°	21.2°	22.1°	22.7°	23.5°
	Date, 1961	1/19	1/19	1/19	1/19	1/20	1/20	1/20	1/20	1/21	1/21		1/21	1/21	1/22	1/22	1/22	1/22	1/23	1/23	1/23	1/23

1/ All columns in USWB 1210-F and 615-5 are not included here. Those deleted are:

Day of week	Octant	Barometer as read	Barometer as corrected	Air temperature, °F.	Course of ship	Speed of ship	Diff. sea-air, °F.	Dew point, °F.
2	~	13	14	17	23	24	31	32
Column	=	14	#	11	=	11	=	Ξ

Table 4. ** Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 51 (con.)

	Height	2333433444	2 2 2 2 2 1 X 2 2 2 1 2 2 2 2 2 2 2 2 2	пичининини	00000
aves	Period		0000×0000	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	22222
*	Direction	30 34 28 13 15 15 16 18	18 16 16 16 16 33 31 31 31 31	32 32 09 09 09 14 14 09	10 14 14 15 10
	Type high	00 ×000000	000000000	0000000000	00000
	Type middle	90×4000000	000000000	00×000×00	00000
Clouds	Height low	40×040×444	X 4 X 6 X 4 4 9 X 9	2440045044	4444
CIo	Type low	8877718	8777770307	7 X 8 X 8 7 7 7 7 7 8 7 7 7 7 8 7 7 7 7	
	wol 1mnomA	20 X 2 7 0 2 0 2 0 0 0	31112330133	21X120X613	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	Total amount	45×6768588	10 m m m m m m m m m m m m m m m m m m m	51191143	4 3 3 5 5
re	Sea water	73.4 72.0 72.0 72.0 74.5 74.7 74.8 75.2	76.3 77.4 77.4 77.5 77.5 79.6 77.7	78.6 75.6 75.6 76.6 77.2 78.4 78.9 78.9	78.3 77.9 77.4 77.6 78.3
emperature (° F.)	Wet bulb	61.8 63.2 57.2 58.3 61.4 65.2 65.2 71.0 71.4	72.4 71.8 73.1 73.2 72.4 71.5 70.4 69.5 68.0	66.0 65.0 68.9 72.2 72.5 73.0 72.8 73.0	74.3 73.1 73.0 71.7 72.5
Ten	Dry bulb	70.6 71.5 65.4 66.0 68.4 72.1 77.3 76.0	76.0 76.3 77.4 79.0 76.8 77.5 77.5 77.5	75.6 77.3 77.3 76.9 77.3 78.0 80.0 78.3	83.3 78.2 78.5 76.2
e	Amt, change	0.9 4.0 0.0 2.0 3.0 1.0 1.0 2.0	0.7 2.0 1.5 0.2 2.0 2.0 1.0	1.5 2.0 2.0 2.0 1.0 0.0 2.0 2.0	1.5 1.0 1.0 2.0
ssure	Characteristic	37375057	800000000000000000000000000000000000000	3758461727	L2L2L
Pre	Bar. corr.	1012.2 1015.6 1015.6 1017.6 1013.9 1015.6 1014.6 1014.9 1012.2	1012.9 1013.9 1011.9 1014.2 1014.9 1014.9 1014.9 1014.9	1015,6 1016,9 1016,6 1018,6 1018,6 1018,6 1016,6 1017,6 1017,6 1016,3	1014.6 1015.9 1015.9 1016.9
ler	Past	7 X T Z Z T T X T T T T T T T T T T T T T	000000000	00001%5500	70007
Weather	Present	00 00 00 00 00 00 00 00 00 00 00 00 00	01 01 02 03 00 00 00 00	000000000000000000000000000000000000000	03 00 02 01
nd	Speed (kn.)	19 25 25 10 10 14 19 23 18 16	13 08 09 06 06 06 06 08	00 05 115 110 009 115 115	09 14 08 08 09
Wi	Direction	32 33 33 01 10 13 15 15	22 18 22 20 27 35 05 06	00 07 09 14 17 14 32 06	07 09 10 09 10
	Visibility	8 8 8 8 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8	86 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	000000000000000000000000000000000000000	98 88 86 86 86 86
	(TDD) əmiT	0000 1200 1800 0000 0000 1200 1800 0000	1200 1800 0000 0600 1200 1800 0600 1200 1800	0000 0600 0000 0600 1200 1800 0600 1200	0000 0600 1200 1800 0000
	.W skutignod	151.8° 152.5° 153.2° 154.0° 154.1° 154.1° 154.2° 154.2°	154.2° 154.1° 154.2° 154.5° 154.5° 155.5° 156.4° 157.0° 157.2° 157.2°	157.6° 157.7° 158.2° 158.4° 158.8° 159.3° 159.4° 160.0°	161,7° 162,5° 162,5° 162,5°
	.N skiitude N.	23.8° 23.8° 24.0° 22.6° 20.0° 19.2°	18.2° 17.6° 16.7° 16.0° 16.0° 16.2° 17.2° 19.0°	19.8° 20.7° 20.7° 19.5° 18.6° 18.0° 17.1° 16.4° 16.0°	16.1° 16.4° 17.3° 18.1°
	Date, 1961	1/24 1/24 1/24 1/25 1/25 1/25 1/25 1/26	1/26 1/26 1/27 1/27 1/27 1/28 1/28 1/28	11/29 11/29 21/2 21/2 21/2 21/3 21/3 21/3	2/4 2/4 2/4 2/4 2/5

Table 4.--Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 51 (con.)

	Height	NNMMHHHHH	2246644566	X W P P P P P D D D	22222
Waves	Period		00××000000	X N N N N N N N N N N N	22222
W	Direction	14 14 32 35 32 01 12 15 14	34 34 34 33 36 32 XXX XX 00 00	08 00 00 00 00 00 00 00 00 00 00 00 00 0	111 09 09 09
	Type high	0000×0×000	0 × × 0 × × × × 0 ×	× × × × × × × × × × × × × × × × × × ×	000×0
	Type middle	0000X0X040	× × × × × × × × ×	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	0 X 0 X 0
spn	Height low	4444040455	4 K 4 4 K K K K K K	XX44X444X	444X4
Cloud	Type low	2 1 1 X 3 X 1 2 4 2	$\neg \times \otimes \neg \times \times \times \neg \times$	× × × × × × × ×	0 0 0 0 0 0
	wol tanomA	1 1 6 X 1 X 1 1 4 2	- × ~ 4 × × × × ~ ×	X X C C X A A C X	3 X W X W
	Total amount	1 2 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	000000000000000000000000000000000000000	6777689766	3 0 3 7 4
re	191sw s92	77.9 77.2 75.9 76.3 74.8 74.1 75.0 75.0	76.1 74.1 74.7 72.5 72.5 72.7 71.7 73.0 74.1	77.77 77.55 77.77 77.77 78.8 78.8 78.6 78.7	78.1 78.3 77.6 77.2
emperature (° F.)	Wet bulb	72.3 70.5 70.8 71.9 71.4 71.2 70.0 67.8 64.9	66.8 66.5 64.3 62.0 59.0 60.1 62.0 64.0 66.0	70.5 71.4 73.5 72.0 72.9 73.0 76.0 76.0 73.2	72.5 72.5 71.8 72.2
Ten	Dry bulb	77.3 77.2 75.0 78.1 75.7 75.3 74.5 80.0	75.0 70.0 70.0 73.5 67.9 68.4 70.0	76.0 76.2 79.0 75.8 77.1 77.2 86.0 78.0	76.5 77.8 77.3 77.8
	Amt. change	1.0 0.0 1.7 2.0 3.0 1.2 1.0	2.0 1.7 1.0 3.0 0.0 2.4 2.0 0.4	1.5 0.3 2.7 2.0 2.0 0.2 1.5 1.5	1.0 2.0 1.5 1.0
sure	Characteristic	7440707040	3778487888	4421314131	3 1 2 3
Pres	Bar. corr.	1016.9 1019.0 1020.3 1020.0 1021.7 1020.0 1020.7 1020.7	1018.6 1019.3 1021.0 1021.7 1024.0 1023.4 1026.8 1024.7 1021.7	1019.3 1017.3 1015.9 1014.6 1014.6 1013.2 1012.5 1012.2	1013.2 1014.2 1014.2 1015.9
e) H	fasq	0000000000	00000000000	2222126222	1 1 1 2 0
Weath	Present	00 01 01 00 00 00 01 01	01 00 02 00 00 00 00 01	00 115 02 00 00 03 03	00 00 00 00
nd	Speed (kn.)	10 07 13 13 15 03 01 04	07 23 24 24 22 22 22 20	21 22 18 18 21 16 20 18 19 16	14 17 13 18 18
Wil	Direction	111 07 12 16 16 15 01 07 07 15	34 36 36 01 05 06 06 09 08	09 08 08 09 07 07 09	10 09 08 08
	Visibility	8888888888	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	998 709 709 709 809 809 809	98 86 86 86 86 86
	(TDD) əmiT	0600 1200 1800 0600 1200 1200 1800	0600 1200 1800 0100 0700 1300 0700 1300	1200 1800 0000 0600 1200 1800 0000 0600 1200	1800 0000 0600 1200 1800
	.W shutignod	162.5° 162.5° 162.4° 162.0° 161.0° 160.1° 159.6° 160.5° 161.4°	162.5° 162.5° 163.1° 164.3° 165.1° 165.7° 166.4° 167.2°	167.0° 166.9° 167.0° 167.0° 167.1° 167.2° 168.6° 169.5°	169.1° 169.4° 169.4° 169.4° 169.3°
	.N stitude N.	19.8° 20.7° 21.6° 22.0° 22.1° 22.1° 22.1° 22.1° 22.1° 22.1°	23.1° 24.0° 24.0° 23.9° 24.0° 23.8° 23.8° 23.8° 23.8°	20.5° 19.6° 18.8° 17.8° 16.9° 16.1° 16.2° 16.0° 16.1°	17.4° 18.4° 19.1° 19.7° 20.4°
	Date, 1961	2/5 2/5 2/6 2/6 2/6 2/7 2/7 2/7	2/8 2/8 2/8 2/9 2/9 2/10 2/10 2/11	2/11 2/12 2/12 2/12 2/12 2/12 2/13 2/13	2/15 2/16 2/16 2/16 2/16

Table 4. -- Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 51 (con.)

	Height	00000000000	m 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	744444400	4324
aves	Period	0000000000	0000000000	0000000000	22222
M	Direction	00 00 00 00 00 00 00 00 00 00 00	00 00 00 00 00 00 00 00 00	600 600 600 600 600 600 600 600 600 600	60
	Type high	00×000×0×0	00 × 000 × 400	xooxxxooox	00××0
	Type middle	00 X 0 0 0 X 0 X 4	403X44K0K	X40XXX000X	
spn	wol 14gieH	t X t X t O t X t t	44×444×444	X t t t X X X t t X	44××4
Clouds	Type low	2 × × × × × × × × ×	82 X H H H X K Z X	× 1 2 × × × 6 2 4 ×	0 m x x z
	wol tanomA	6×2×5×4	t S w X S S t X o w	$\times \vdash \circ \times \times \times \circ \circ \vdash \times$	9 X X X 8
	Total amount	2002011043	4 0 0 0 0 0 0 0 0 0 0	015699935	9 6 6 9
re	Sea water	77.2 74.5 75.2 73.9 74.5 73.4 73.0 72.7	74.8 75.6 76.5 77.0 77.2 77.4 77.5 77.5	77.4 77.9 77.7 77.5 77.2 77.2 77.0 77.0	77.0 76.6 74.5 73.8
emperature (° F.)	Wet bulb	71.0 70.5 70.0 68.4 67.5 69.0 67.1 68.0 66.8	69.2 71.2 71.2 72.5 72.0 73.0 73.2 73.1 73.3	73.1 71.5 71.3 71.5 71.9 71.9 71.9 71.8	70.7 70.7 70.5 68.7 68.4
Tem	Dry bulb	76.8 74.8 74.5 73.5 73.0 77.3 72.5	74.0 76.5 77.3 77.5 77.5 77.5 77.5	77.2 78.5 77.3 77.3 76.8 77.5 77.5 76.6	76.4 77.0 76.5 75.0 73.0
	Amt. change	2.0 1.2 1.2 1.0 1.0 1.0	2.0 1.0 1.5 2.0 1.0 1.0	1.0 1.5 1.0 1.0 1.0 1.0 2.0 1.0	2.0 3.0 0.0 1.8
sure	Characteristic	000000000000000000000000000000000000000	1212121212	4375672726	3 4 5 7 3
Pres	Bar, corr.	1016.9 1017.3 1019.0 1019.0 1019.3 1018.6 1019.3 1020.7	1018.6 1017.6 1017.3 1016.3 1015.2 1014.9 1014.2 1013.2 1013.2	1012.9 1013.5 1013.2 1012.5 1013.2 1011.9 1013.2 1012.9	1016.3 1014.6 1016.9 1017.3
e H	Past	0100000000	1077007700	7170010000	0 0 0 1
Weather	Present	01 03 00 01 03 00 02 25	03 00 00 00 00 00 00 00 00	00 00 00 00 00 01 01 00	25 01 00 00
pu	Speed (kn.)	18 13 12 11 11 11 14 11 13	22 21 22 21 17 17 17 20 20 20 21	20 22 18 18 21 19 19 22 21 16	22 14 20 17 17
Wir	Direction	07 07 08 11 09 06 07 09	09 00 00 00 00 00 00 00 00 00 00 00 00 0	09 08 09 07 07 08 08 08	08 10 07 04 10
	Visibility	888888888888	000000000000000000000000000000000000000	8888888888	98 98 98 98
	(TDD) əmiT	0000 0600 1200 1800 0000 0600 1200 1200 1800	0000 0600 1200 1800 0000 0600 1200 1800 0000	1200 1800 0000 0600 1200 1500 1800 0000 0600	1800 0000 0600 1200 1800
	.W shutignod	169.4° 169.4° 169.4° 169.7° 167.7° 165.6° 164.9°	164.5° 164.5° 164.5° 164.5° 164.5° 164.5° 164.5° 164.5° 164.5°	162.1° 162.1° 161.7° 160.8° 159.7° 159.6° 159.5° 159.5°	159.4° 159.4° 159.5° 159.7° 159.7°
	.N stitude N.	21.6° 22.4° 23.1° 24.0° 24.0° 24.0° 24.0° 24.0° 24.0°	23.5° 21.7° 20.7° 19.8° 19.0° 18.2° 17.3° 16.4° 16.0°	16.0° 16.2° 16.2° 16.1° 16.1° 16.1° 16.8° 17.8°	19.7° 20.6° 21.6° 22.3° 23.0°
	Date, 1961	2/17 2/17 2/17 2/18 2/18 2/18 2/18 2/20 2/20 2/20	2/21 2/21 2/21 2/21 2/22 2/22 2/22 2/22	2/23 2/23 2/24 2/24 2/24 2/24 2/24 2/25 2/25	2/25 2/26 2/26 2/26 2/26

Table 4. -- Record of weather observations (USWB 1210-F and 615-5), Charles H. Gilbert cruise 51 (con.)

	Height	4	7	4	m) .	4	4	4
Waves	Period	2	2	7	7	7	2	2
W	Direction	60	60	60	60	14	11	11
	Agid aqyI	0	0	×	0	0	×	×
	Type middle	0	0	×	7	00	×	×
ıds	Height low	4	4	×	4	4	×	×
Clouds	Type low	0	2	×	00	2	×	×
	woi muomA	Н	m	×	4	3	×	×
	Total amount	\vdash	3	6	9	2	6	6
e H	Sea water	73.0	72.1	74.2	73.4	73.9	74.1	74.1
Temperature	Wet bulb		9.19					68.2
Ten	Dry bulb		73.2					73.7
6)	Amt, change	1.0	1.6	1.0	2.0	2.0	0,3	1.0
Pressure	Characteristic	7	2	r	2	00	3	7
Pre	Bar, corr.	1018.0	1018,6	1019.3	1020.3	1019.3	1018.3	1018,0
ie i	Past	0	0	0	П	œ	2	2
Weather	Present	01	03	03	00	01	00	00
nd	Speed (kn.)	19	19	2.1	15	14	18	16
Wind	Direction	60	12	11	60	10	10	11
	Visibility	98	98	86	98	98	98	98
	(TDD) əmiT	0000	0090	1200	1800	0000	0090	1200
	.W ebutigacd	159,5°	158.9°	158.4°	157.8°	157.5°	157.5°	157.50
	.N sbutitude N.	23.9°	24,0°	24.0°	24.10	23.7°	22.7°	21.70
	Date, 1961	2127	2/27	2/27	2/27	2/28	2/28	2/28

Table 5.-- Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 521/

	Height	4 m X n n n t t b n n n x m n n
Waves	Period	
W	Direction	03 03 33 33 00 00 00 00 00 00 00 00
	Type high	0 X X 4 X X X X 8 0
	Type middle	0 × × × × × × × × × × × × × × × ×
spn	Height low	4 X X 4 0 0 4 4 5 0 0 0 X X 4 4 0 0 0 0 X X X
Clouds	Type low	∨ × × ∨ ∞ ∞ ∞ ∞ ∞ ∨ × × ∨ ∞ ∞ √ ∨ ∞ × ∞
	wol 1nnomA	0 X X 1 L D B B 1 L X X B B 1 L B B B 1 L B B B 1 L B B B 1 L B B B 1 L B B B 1 L B B 1 L B B 1 L B B 1 L B B 1 L B B 1 L B B 1 L B B 1 L B B 1 L B 1
	1moms istoT	0 1 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0
ıre	rea water	77.0 77.0 77.1 77.1 77.1 77.1 77.1 77.1
Temperature (° F.)	Met bulb	64.9 65.4 66.7 68.5 68.5 68.5 68.5 66.3 66.3 66.3 77.0 77.0 77.0 77.0
Ter	Dry bulb	73.2 73.2 73.7 73.7 71.0 68.5 69.5 69.5 77.9 77.9 77.9
	Amt. change	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Pressure	Characteristic	*****
Pres	Bar. corr.	1016.9 1016.9 1015.2 1014.2 1014.2 1014.2 1015.9 1015.9 1012.2 1010.8 1010.8 1011.9 1011.9 1011.9
e H	Past	00000000000000000000000000000000000000
Weather	Present	03 00 00 00 03 03 115 115 00 00 00 00 00 00 00 00 00 00 00 00 00
Wind	Speed (kn.)	119 122 133 133 133 134 14 10 10 10 10 10
W i	Direction	07 00 00 00 00 00 00 00 00 00 00 00 00 0
	Visibility	998 998 998 997 998 998 998 998
	(TDD) əmiT	0000 0000 0000 0000 0000 0000 0000 0000 0000
	.W shutignod	158.5° 159.2° 160.7° 162.5° 163.0° 164.1° 166.1° 166.5° 166.9° 166.9° 166.0° 166.7° 166.7° 166.7° 166.7°
	.N stitude N.	21.7° 22.2° 22.0° 22.0° 22.0° 22.3° 23.9° 23.1° 23.1° 22.2° 20.1° 19.4° 19.4°
	Date, 1961	4/5 4/6 4/6 4/7 4/7 4/10 4/10 4/11 4/11 4/11 4/12 4/12 4/12 4/12

1/ All columns in USWB 615-5 are not included here. Those deleted are:

Day of week	Octant	Barometer as read	Barometer as corrected	Air temperature, °F.	Course of ship	Speed of ship	sea	Dew point, oF.
n 2	3	13	14	17	23	24	31	32
Column	=	11	Ξ	Ξ	=	=	=	11

Table 5.--Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 52 (con.)

			mm2m0044vn	33447722
(0	hagishi	00mmmmx0m		
Waves	Period	XOXMUNUNXOX	9999446000	
A	Direction	01 02 09 09 08 08 05 XX XX 49	03 04 05 06 06 06 09	09 10 11 11 11 12 13 11 10
	Type high	×××00××××0	×××0××0×06	× 0 × × × × × × ×
	Type middle	× > × 0 0 × × × × 4	M O O O X X O O X X	*****
ds	Weight low	X	0 X 4 0 7 4 7 4 7 7	X 4 4 4 X N N N X X
Clouds	Type low	6 t x 8 t 2 2 x 4 6	00000000000000000000000000000000000000	× < > 0 × 0 × 0 × 0 × 0
	wol 1nnomA	1000411011	869476988	00710801100
	Total amount	7769477677	8679767877	0188088700
re	1915W 592	77.9 78.3 78.4 78.4 79.0 78.6 78.5 77.7 78.4	77.5 77.0 75.6 75.0 75.0 76.5 77.2	76.6 76.8 77.4 77.4 78.1 78.3 77.9
emperature (° F.)	Wet bulb	72.8 74.2 73.8 73.1 73.1 72.8 72.2 72.2 72.8	72.6 71.0 68.7 67.7 69.6 71.6 70.6 69.7 70.0	71.0 70.5 72.6 73.5 74.2 71.4 72.7 72.0
Ter	Dry bulb	76.5 77.6 78.3 79.4 80.5 79.1 78.0 75.0	76.0 73.2 73.6 74.5 74.5 75.0 75.0 75.0	75.2 76.0 76.0 77.0 78.6 75.0 77.1
	Amt. change	XX 2.0 2.0 0.8 1.8 1.8 1.8 1.0	1.5 0.2 0.4 0.4 0.4 0.4 0.8	1.2 1.5 1.0 0.8 0.2 1.2 1.0 2.0 1.4
essure	Characteristic	X M & N & N & N & N & N & N & N & N & N &	78787987887	7810083878
Pres	Bar, corr.	1013.9 1013.9 1014.6 1013.5 1013.5 1013.2 1013.2 1015.2	1015.9 1017.3 1019.0 1019.3 1019.3 1016.9 1017.3 1016.3	1013.2 1013.5 1012.9 1012.9 1013.2 1013.9 1012.5 1013.9
H	Past	0 × 0 × × 0 × 0 × 0	0 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	XXVVXXXXXXX
Weather	Present	16 15 00 00 01 03 01 50 15	50 00 00 01 16 20 01 80 01	00 25 15 02 00 02 02 00 03
nd	Speed (kn.)	09 07 18 14 18 10 09	13 19 11 18 22 22 22 22 22 22 22	19 20 17 19 09 17 22 13
Wi	Direction	09 110 111 08 08 08 10 05	03 04 00 00 00 00 00 00 00	09 11 10 09 05 05 13 11 11
	Visibility	76 98 98 98 98 98 98 98	98 98 97 97 97 97	97 97 97 97 97 97
	(TDD) əmiT	0000 0600 1200 1800 0000 1800 0600 1200 1800	0600 1200 1800 0000 0000 0300 0600 1800 0600	1200 1800 0000 0600 1200 1800 0600 1200
	.W sbuitgnol	168.6° 168.6° 168.5° 169.0° 169.5° 169.5° 169.5° 168.5°	167.6° 167.1° 166.3° 166.5° 167.1° 167.0° 167.4° 166.7°	165.3° 164.7° 164.5° 164.5° 163.6° 162.4° 161.9° 161.1°
	.N sbuittd	19,3° 17,6° 17,6° 17,0° 16,5° 17,5° 19,1° 20,2°	20.9° 21.8° 22.5° 23.0° 22.2° 22.2° 22.5° 21.8° 21.4°	20.6° 20.5° 20.0° 19.2° 19.4° 19.6° 20.0°
	Date, 1961	4/13 4/13 4/13 4/14 4/16 4/20 4/20 4/21	4/21 4/21 4/22 4/23 4/23 4/23 4/23 4/23	4/28 4/29 4/29 4/29 4/30 4/30 4/30

Table 5.--Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 52 (con.)

S	Height	4	c	3	7	7	5	7	7	5	'n		4	4	4	7	9	9	5	2
Waves	Period	m	2	2	m	3	3	2	2	c	٣	c	7)	3	c	3	m	c	c	c
W	Direction	12	12	12	12	13	13	11	07	80	60	C	200	90	60	60	60	60 -	60	02
	Type high	×	×	×	×	×	×	×	×	×	×	3	×	×	×	×	5	×	×	4
	Type middle	_	×	×	7	7	×	×	×	×	×	;	×	7	×	×	9	E	×	9
spi	Height low	4	×	×	4	Ŋ	×	×	×	×	×	1	×	×	×	×	×	×	×	×
Clouds	Type low	∞	×	×	00	00	×	×	2	×	×	;	×	7	×	×	2	×	×	00
	wol muomA	2	6	6	_	_	6	6	9	6	00	c	ν)	4	4	4	-	9	7	9
	Total amount	∞	6	6	00	∞	6	6	9	6	00	`	4	4	4	7	n	9	1	9
re	retew sec		77.2															76.8		
emperature (° F.)	Wet bulb		73.6									ŗ	(11,5	72.8	73.2	71.0	72.0	72.4	71.4	69.7
Ter	Dry bulb		77.3									1	7.11	78.8	77.5	77.0	78.0	78.0	74.0	77.2
6)	Amt, change		0.8										0					1.6		
ssure	Characteristic	∞	c,	œ	3	00	2	00	2	٣	7	P	4	œ		7	2	7	3	2
Press	Bar. corr.	1013.5	1013.5	1015.2	1015.2	1015.9	1016,9	1016.9	1016.3	1017.6	1017.6	0101	1018.0	1017.3	1016.9	1016.6	1018.0	1015.9	1017.3	1018.0
ler	Past	∞	2	2	2	2	7	2	2	0		c	>	p(-	0	0	2	œ	2
Weather	Present	02	02	02	02	02	02	02	10	00	00	C	20	03	01	02	10	03	25	16
ind	Speed (kn.)	16	15	14	19	15	15	15	16	21	19	6	7	17	18	14	25	20	18	8
Wi	Direction	16	12	14	14	11	13	10	07	11	07	4	14	10	60	11	60	10	10	90
	Visibility	97	97	26	26	26	16	26	98	98	98	d	98	98	98	26	26	86	97	98
	(TDD) əmiT	0000	0090	1200	1800	0000	0090	1200	1800	0090	1200	000	1800	0000	0090	1200	1800	0000	0090	1800
	.W əbujigand	160.00	159.6°	159.3°	158.7°	158.5°	158.4°	158.2°	158.1°	157.6°	157.5°	1	15/.6	158,3°	159.1°	158.8°	158.5°	158.0°	157.5°	156.2°
	.N əbuitude		19.00	18.8	18.5°	18.5°	18.9°	19.9°	20.8°	20.5°	19.8°	0					18.1°	18,3°		19.5°
	Date, 1961		5/1	5/1	5/1	5/2	5/2	5/2	5/2	5/5	5/5	L/ L	2/2	9/9	9/9	9/9	9/5	5/7	5/7	5/7

Table 6. -- Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 53 1/

		4	7	2 .	4 .	4.	4 1	-	ሳ ፣	ς ,	m	9	7	2	3	4	4	4	e	7	~	r
va .	Height		2												2							
Waves	Period	14	.4	-4 (. 4		,	,		•		- 4	. 4			•	,				
M	Direction	03	08	18	11	10	60	60	60	60	60	60	60	60	60	07	60	90	90	90	90	5
	Type high	×	×	> <	0	×	×	×	×	×	×	×	×	×	×	m	×	1	×	; 0	0 0	2
	Type middle	×	×	×	9	×	×	9	9	9	×	9	×	00	×	9	×	0	×	ع د	0 0	٥
spi	Height low	×	×	> 4 -	4	m	> 4 ·	4	4	4	×	×	S	×	×	4	5	2	×	7	ш	٦
Clouds	Type low	2	2	2	7	7	×	7	7	2	×	0	_	0	×	6	7	2	×	4 6	1 0	7
	wol innomA	70	4	7	m .	4	×	m	ന	7	×	×	m	×	×	9	4	-	Þ	4 L	3 ~	1
	Interpretation Interpretation	7	7	7	4	4	0	n	2	7	0	00	3	m	6	7	7	2	0	<i>y</i>	> <	t
re	Sea water	79.3	77.7	77.7	77.9	76.8	76.8	77.2	76.8	9.97	9.92				78.8							
emperature (° F.)	Wet bulb	69.7	71.8	70.5	71.9	72.4	71.3	72.5	71.2	71.5	72.0	71.8	73.8	72.0	70.3	72.5	70.5	71.5	70.2	7.07	72.0	71.7
Ten	Dīx pajp	79.8	76.5	78.0	78.3	77.8	76.5	77.8	76.1	77.5	76.3	77.5	82.0	79.0	77.8	78.0	77.5	78.5	75.0	7007	0.01	77.5
	Amt, change		3.1									2.0	1	-	2.0	2.0	1.0	1		0.0	0.1	1.0
sure	Characteristic	2	7	2	9	2	7	7	7	2	1	0	1		1 1	2	7		1 1	- 0	7 1	7
Pressure	Bar, corr.	1014.9	1013.9	1015.6	1014.6	1015.9	1015.2	1015.6	1013.5	$^{\circ}$	1013.9	1014 9	1014 6	1017.9	1013 9	1016.3	1015.6	1015 6	1010	1015.9	1010.9	1016.9
H o	Past	0		1	2	-	-	2	7	2	2	6	1 0	1 -	10	10	ı –	4 0	0	7	7	2
Weather	Present	03	0 2	03	01	00	00	14	10	03	00	0	5 5	5 6	300	14	2 5	1 0	5 ;	2 ;	15	05
p q	Speed (kn.)	2	24	90	27	24	22	21	20	22	18	20	0 0	27	77 1 0	20	210	200	0 0	77	70	19
Win	Direction	90	10	17	10	80	08	80	07	60	11	00	2 0	2 6	200	8 8	2 6	9 0	0 0	07	90	90
	Visibility	äo	98	86	86	98	6	46	98	97	98	ä	0 0	7.0	70	80	οα	000	0 10	97	16	86
	(TDD) smiT			1800	2000	0090	1200	1800	0000	0090	1200	1 000	0000	0000	1300	1000	0000	0000	0000	1200	1800	0000
.W sbutignod			156.6°	156.1°	155.8°	155,3°	155.2°	154.7°	154.2°	152.6°	152.9°	100	10201	151.3	151.0	151 60	151 00	151 10	121./	151.6	151.6°	151.5
.M shutitude N.			20.20	19.6	18.7°	18.1	17.6°	17.0°	16.3°	16.0°	16.0°	00	10.0	10.2	17.35	10.0	10.00	19.00	20.02	21.3°	22.2	23.0°
Date, 1961			47/0	6/24	6/25	6/25	6/25	6/25	6/26	6/26	6/26	7077	07/0	17/0	6/2/	17/9	17/0	97/0	97/9	6/28	6/28	6/29
		_																				

1/ All columns in USWB 615-5 are not included here. Those deleted are:

Column 2 Day of week

13 Barometer as read
14 Barometer as corrected
17 Air temperature, °F.
18 Speed of ship
19 Speed of ship

Table 6. -- Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 53 (con.)

	Height	444666666	88888888888	2222222222	24226
aves	Period	000000000	0000000000	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	32228
A	Direction	90 90 90 80 80 80 80 60 60 60	08 09 09 07 07 10 13	14 10 11 09 09 09 09	09 09 05 07
	Type high	0×000×000×	00000000000	00 × 0 0 0 × 0 4 0	× n u n ×
	Type middle	×000×000×	0 X X 0 0 0 X X 0 0	0000000000	X000X
spr	Height low	4×4-4×44ex	4 0 4 X 4 4 4 X X 4	04×444×404	X464X
Clouds	Type low	0×000×040×	0 X X D H H X 3 D D	212X262X2H	× 0 0 0 ×
	wol innomA	4×-44×44	10 / X 4 6 0 X X W	24×658×555	\times 10 ∞ 11 \times
	Total amount	9074404470	97764779	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 9 7 9 7
ıre	retaw sed	76.5 76.5 76.5 76.5 77.2 77.0 77.2	77.2 77.9 77.9 77.7 72.2 77.7 78.8 79.3 79.3	78.4 78.2 78.3 78.5 78.5 79.4 79.4	79.2 79.2 79.5 80.1 80.4
emperature	Wet bulb	71.0 70.6 71.0 71.0 72.3 71.0 72.8 73.5 74.5	71.9 74.5 75.0 74.0 73.9 74.2 74.2 74.2 74.2 73.1	73.5 73.8 75.0 75.1 75.9 74.7 75.2	74.2 73.5 75.3 73.5
Ter	Dry bulb	77.0 76.0 77.1 77.8 77.8 74.3 78.5 78.5	77.9 78.8 80.0 78.0 79.4 79.9 78.5	81.0 78.8 79.3 79.0 81.2 79.0 78.7 81.0 82.8	80.6 79.0 81.0 79.7 78.4
	Amt. change	1.0 0.0 0.2 1.0 1.0 2.0 2.0 1.0	1.0 2.0 2.0 0.0 0.0 1.0 1.3	1.0	0.7 1.2 0.0 1.0
ssure	Characteristic	1818181848	0000440000	7000000000	12420
Pres	Bar. corr.	1016.9 1016.9 1018.3 1017.6 1016.9 1016.9 1016.6	1016.6 1015.9 1015.9 1015.2 1015.2 1015.2 1019.6 1015.6 1015.6	1015.9 1015.2 1015.2 1015.9 1015.2 1015.6 1015.6 1015.6	1014.9 1015.2 1015.2 1014.6 1014.9
ler	Past	0 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 1 1 5 0 1 1 5 1 5	2100220000	07770
Weather	Present	14 62 01 02 03 60 01 14	03 00 00 01 01 00 01 01	02 03 00 02 03 00 01 03	01 03 01 20
рu	Speed (kn.)	23 20 20 16 18 16 12 16	17 16 20 20 18 17 22 11 14 11	15 16 16 18 16 16 17 17	111 07 08 13 18
W i	Direction	06 07 07 09 09 12 11 11 11 09	08 08 07 06 09 08 11 10 14	14 05 111 07 09 10 09 09	09 07 05 09 07
	Visibility	977 977 977 977 978 978	99 99 98 99 98 97 97	98 98 97 97 97 97	97 97 97 97
	(TDD) əmiT	0600 1200 1800 0000 0600 1200 1800 0000 0600	1800 0000 0600 1200 1800 0600 1200 1200 1800	0000 0600 1200 1800 0600 1200 1800 0600	1200 1800 0000 0600 1300
	.W sbuligadd	152.6° 153.1° 153.7° 154.1° 154.1° 154.0° 154.0° 154.0°	154.5° 154.8° 154.9° 156.9° 157.2° 157.7° 157.7° 157.7° 157.7°	158.8° 159.2° 159.4° 159.6° 160.3° 162.0° 164.0° 164.6°	164.5° 164.7° 164.5° 164.7°
	.N stitude	23.0° 23.3° 23.8° 23.6° 22.6° 21.7° 21.0° 18.9°	16.5° 16.2° 16.2° 17.1° 18.0° 19.2° 20.1° 19.3°	18.3° 17.6° 16.9° 16.2° 16.2° 16.1° 15.9° 16.0°	17.4° 18.3° 19.1° 20.0°
	Date, 1961	6/29 6/29 6/29 6/30 6/30 6/30 7/1 7/1	7/2 7/2 7/2 7/3 1/3 1/8	7/9 7/9 7/9 7/10 7/10 7/10 7/11	7/11 7/11 7/12 7/12

Table 6. -- Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 53 (con.)

	Height	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	44666666666	NNNNNNNNN	22222
Waves	Period	0000000000	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	000000000	00000
W	Direction	07 08 09 07 07 07 09	10 110 113 009 009 009	09 07 07 07 07 07 06	60 60 60
	Type high	0178008009	X40X00007X	0 X O X O X O X O X	0 × 0 00
	Type middle	000×0000	X0000X10X	000×000×00	00000
S	Height low	444X40X444	X44X4X604X	044X444X40	4 X 4 4 4
Clouds	Type low	0 0 0 × 0 0 × 0 0 × 0 0 × 0	×0000×00	00×000×000	22222
	wol JunomA	N 20 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	XUVXUOUX	8 m 4 X L m K m 4	6 × 4 5 4
	Total amount	3321422743	0773034045	4393479769	60474
9	Sea water	79.2 79.8 79.0 79.0 80.0 79.3 79.3	80.2 80.4 80.2 80.2 80.2 80.2 80.2 80.2	80.4 80.8 80.2 79.7 79.7 79.9 79.0 78.8	79.7 78.8 79.2 79.5 80.1
emperature (° F.)	Wet bulb	73.5 73.5 73.5 73.4 73.9 73.9 73.8 74.0	75.0 74.5 75.3 74.8 74.0 73.0 78.0 74.8 74.8	74.8 74.0 74.0 74.3 73.5 73.0 72.2 71.3 72.8	71.9 73.0 72.5 74.0 73.0
Ten	Dry bulb	79.2 84.2 79.8 79.9 80.2 80.3 78.8	80.3 81.0 80.6 80.8 80.5 79.8 80.2 81.8 80.0	80.0 80.4 79.8 79.8 79.0 78.5 78.5	78.2 78.2 78.0 79.5
	Amt. change	2.0 1.0 0.0 0.0 0.0 0.0	0.3 1.0 1.0 1.0 1.0 1.2 1.2	1.0 0.8 1.0 0.0 0.0 0.0 0.0	1.0
sure	Characteristic	7040407	457175	188774888	30 47 5
Pres	Bar. corr. (mb.)	1015.9 1016.9 1017.3 1018.3 1018.3 1017.3 1017.3 1017.3	1015.6 1015.2 1014.6 1013.5 1011.5 1012.5 1012.9 1013.2	1015.9 1015.9 1016.6 1016.6 1016.6 1016.6 1016.6 1016.6	1016.6 1016.6 1016.9 1016.6
H (1)	Past	110000011	5550111100	110005555	00010
Weather	Present	01 00 00 00 01 01 01	00 00 00 00 00 00 00 00 00	03 00 00 00 00 01 01 01	01 03 01 01
pu	Speed (kn.)	18 118 110 110 113 113 118	18 15 15 28 28 13 15 16 16	14 15 16 16 17 11 11 10	08 13 16 15
Wir	Direction	08 06 09 07 07 07 06	10 09 14 13 09 09 09 09	00 00 00 00 00 00 00 00 00	12 10 11 09 09
	Visibility	97 98 98 97 97 97 97	7696 7696 7696 7696 7696 7696 7696 7696	8888888888	98 97 98 98
	(TDD) əmiT	1800 0000 0500 1200 0600 0600 1200 1800 0000	1200 1800 0000 1200 0600 1800 0600 0600	1800 0000 0000 1200 1800 0000 1800 0000	0600 1200 1800 0000
	.W ebuitude	164.7° 164.6° 164.6° 164.7° 167.0° 167.8° 167.8° 169.4° 169.4°	169.5° 169.5° 169.7° 169.5° 168.7° 168.0° 167.1° 167.1°	167.1° 167.1° 167.1° 167.1° 167.0° 166.1° 165.4° 164.7°	162.7° 162.1° 162.0° 162.0° 162.0°
	.N stitude N.	21.8° 22.6° 23.1° 24.0° 23.8° 23.9° 23.9° 23.6° 22.6°	21.0° 20.1° 19.4° 17.7° 16.0° 16.0° 16.8° 17.7°	18.6° 19.4° 20.2° 21.2° 22.8° 23.3° 23.7° 24.0°	24.1° 23.9° 23.0° 22.1° 21.5°
	Date, 1961	7/12 7/13 7/13 7/13 7/15 7/15 7/16	7/16 7/16 7/17 7/17 7/20 7/20 7/21 7/21	7/21 7/22 7/22 7/22 7/23 7/23 7/23	7/24 7/24 7/24 7/25

Table 6, -- Record of weather observations (USWB 615-5), Charles H. Gilbert cruise 53 (con.)

	Height	7	2	2	7	m	c	2	2	2	-	2	m	m	~	· (*)	m	n	~
Waves	Period	2	2	2	2	2	2	2	2	2	2	2	m	n	· (**)	m	m	m	~
W	Direction	60	60	10	60	60	60	60	90	07	07	07	05	07	07	07	07	07	0.7
	Туре ћідћ	7	0	0	2	0	0	0	0	0	0	0	9	2	7	6	00	2	œ
	Type middle	0	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	С
spi	Weight low	4	4	4	4	4	4	2	4	4	4	7	7	2	Ŋ	4	4	4	7
Clouds	Type low	2	7	2	2	2	2	2	7	2	2	2	2	2	2	2	2	2	0
	wol JunomA	7	2	9	2	2	4	7		4	7	4	7	τJ	ıΩ	ī	2	4	7
	Total amount	m	2	9	3	2	4	4	2	4	7	7	9	7	7	7	7	7	7
re	Sea water				78.8							79.9	78.4	79.2	78.3	78.6	78.3	78.4	78.3
Temperature (° F.)	Wet bulb				72.8							73.8	72.3	71.9	71.8	73.5	72.0	73.0	72.0
Ter	Dry bulb				78.5							80.1	78.5	78.9	79.0	77.0	77.0	78.0	78.0
6)	Amt. change	1.2	1.0	1.5	0.0	1.0	3.0	1.0	2.0	0.0	1.0	0.0	1.0	0.0	0.0	0.5	1.0	1.0	0.0
sari	Characteristic	∞	7	7	4	7	2	7	2	0	2	0	2	4	4	7	2	7	7
Pressure	Bar. corr.	1014.6	1014.9	1013.5	1013.5	1013.5	1015.2	1013,9	1014.6	1015.2	1015.9	1016,3	1018,3	1018.3	1018.0	1016.9	1017.3	1016.3	1016.3
ler	Past	0	0	7	0	0		_	0	-	П	7	2	2	2	2	2	2	2
Weather	Present	01	02	16	01	01	03	03	03	01	03	01	03	01	03	14	03	03	03
ind	Speed (kn.)	=	11	16	14	10	14	13	15	13	11	11	18	17	18	12	16	16	14
W i	Direction	11	10	10	60	60	11	08	07	08	08	60	90	08	60	60	60	60	60
	Visibility	98	86	98	86	98	86	86	86	86	98	98	86	6	16	97	26	6	97
	(TDD) əmiT	1200	1800	0000	0090	1200	1800	0000	0090	1200	1800	0000	1800	0000	0090	1200	1800	0000	0090
	.W shutigade.	162.2°	162.1°	162.1°	162.0°	161.5°	160.8°	160.0°	160.00	160.00	159.9°	159.9°	159.8°	159.6°	158.7°	157.7°	156.9°	157.2°	157.5°
	Latitude N.	20.4°	19.6°	18.7°	17.6°	18.0°	17.0°	17.0°	17.8°	18.9°	19.9°	20.5°	23.1°	24.0°	24.0°	24.1°	24.0°	23.6°	22.6°
	Date, 1961	7/25	7/25	7/26	7/26	7/26	7/26	7/27	7/27	7/27	7/27	7/28	7/28	7/29	7/29	7/29	7/29	7/30	7/30

Table 7.--Zooplankton station positions and sample weights,

<u>Charles H. Gilbert</u> cruise 51. All hauls were
oblique, from 60 m. to the surface

	Date,	f	ime	Pos	ition	Water	Weight
Station	1961		ZT)	Lat. N.	Long. W.	strained	$(g./1,000 m.^3)$
		Begin	End			(m. ³)	
	2 /2 0	0010	0010				
7	1/19	0243	0310	19°21'	156°31'	1731.1	50.3
15	1/20	0215	0243	16°34'	151°14'	1506.1	39.5
23	1/21	0215	0246	16°18'	151°33'	1703.2	58.4
31	1/22	0210	0239	19°31'	151°45'	1648.9	78.5
39	1/23	0215	0243	22°41'	151°15'	1439.7	49.2
63	1/26	0215	0247	18°17'	154°06'	1720.6	35.9
71	1/27	0210	0243	16°05'	155°28'	1538.0	37.5
79	1/28	0210	0241	18°04'	157°20'	1561.1	33.3
93	2/2	0219	0247	18°40'	158°41'	1052.8	34.7
101	2/3	0215	0244	16°02'	160°00'	947.5	36.9
109	2/4	1420	1459	17°19'	162°31'	1654.8	40.9
117	2/5	0215	0244	24°44'	162°25'	1328.8	26.2
128	2/8	0217	0242	23°58'	162°28'	1049.5	38.3
165	2/15	0115	0153	16°46'	169°10'	1521.9	81.1
173	2/16	0115	0144	19°46'	169°20'	1467.9	46.5
181	2/17	0112	0142	23°08'	169°34'	1414.7	39.5
189	2/18	0202	0232	24°02'	166°58'	1362.0	56.4
194	2/20	0117	0147	24°02'	164°55'	1319.2	46.1

N = 18 Total = 829.2 $\bar{x} = 46.1$

Table 8.--Zooplankton station positions and sample weights,

<u>Charles H. Gilbert</u> cruise 52. All hauls were
oblique, from 60 m. to the surface, except at
station 14

	Date,	T	ime	Pos	ition	Water	Weight
Station	1961		ZT)	Lat. N.	Long. W.	strained	$(g./1,000 \text{ m.}^3)$
		Begin	End			(m. ³)	
12	4/5	2105	2134	22°07'	160°51'	1426.8	61.51/
14	4/6	1125	1155	22°02'	162°55'	1717.0	4.6 [±] /
19	4/7	0219	0248	21°57'	165°09'	1744.3	28.0
32	4/9	2100	2130	23°03'	167°07'	1563.4	35.5
41	4/11	0213	0243	20°50'	167°06'	1523.9	41.8
47	4/11	2105	2137	19°26'	166°52'	1678.5	63.7
54	4/13	0222	0247	17°35'	168°35'	1405.1	41.8
79	4/20	0214	0244	18°21'	168°53'	1516.6	28.7
85	4/20	2100	2130	21°05'	167°36'	1642.3	25.6
148	5/5	2104	2134	18°22'	159°01'	1120.5	45.0

N = 9Total = 371.6 $\bar{x} = 41.3$

^{1/} Surface tow, value not included in averaging of zooplankton weights.

Table 9.--Zooplankton station positions and sample weights,

Charles H. Gilbert cruise 53. Hauls were oblique,
from 60 m. to the surface, except where indicated
by S (surface tows)

Station .	Comple	Date, 1961	Tin			tion	Water	Weight
Station	Sample	1901	Begin	End	Lat N.	Long. W.	strained (m. ³)	(g./1,000 m.
								s <u>1</u> /
3	1	6/24	1130	1200	19°04'	155°59'	-	1
4	1	6/26	1107	1137	16°13'	151°46'	-	S
5	1	6/27	1104	1134	19°23'	151°36'		S
6	1	6/27	2118	2146	20°44'	151°33'	929.5	42.7
6	2	6/27	2113	2143	20°44'	151°33'	-	S
7	1	6/28	1109	1139	22°38'	151°33'	1660.4	S
8	1	6/29	0208	0240	23°22'	153°10'	-	25.7
8	2	6/29	0213	0245	23°22'	153°10'	-	S
9	1	6/29	2105	2137	22°20'	154°05'	956.1	70.0
9	2	6/29	2106	2137	22°20'	154°05'	-	S
10	1	6/30	1100	1130	20°15'	154°01'	_	S
11	1	7/1	1108	1138	16°40'	154°48'	-	S
12	1	7/1	2106	2136	16°14'	156°05'	1076.4	40.3
12	2	7/1	2107	2136	16°14'	156°05'	-	S
13	1	7/2	1105	1135	17°42'	157°17'	_	S
14	1	7/3	0215	0245	20°03 '	147°45'	1598.5	28.2
14	2	7/3	0217	0247	20°03'	157°45'	-	S
17	1	7/8	1120	1150	18°46'	158°46'	_	S
18	1	7/8	2103	2131	17°32'	159°13'	884.0	87.6
18	2	7/8	2104	2134	17°32'	159°13'	-	S
		_ ,_						
19	1	7/9	1107	1137	16°01'	159°55'	-	S
20	1	7/10	0207	0236	16°00'	162°18'	1444.7	26.5
20	2	7/10	0208	0238	16°00'	162°18'	-	S
21	1	7/10	1100	1130	15°57'	163°37'	-	S
22	1	7/10	2106	2126	16°41'	164°32'	1213.9	52.8
22	2	7/10	2106	2136	16°41'	164°32'	-	S
23	1	7/11	1118	1148	18°43'	164°43'	-	S
26	1	7/12	0248	0318	20°55'	164°48'	-	S
27 28	1	7/12	1005 2005	1035	22°07' 23°25'	164°37' 164°36'	_	S S
20	-	//12	2003	2033	23 23	104 30	_	5
30	1	7/14	1006	1036	23°52'	166°33'	-	S
31	1	7/15	0102	0130	23°53 '	168°57'	1335.7	27.9
31	2	7/15	0104	0134	23°53'	168°57'	-	S
32	1	7/15	1000	1030	22°58'	169°21'		S
33	1	7/15	2000	2030	21°34'	169°28'	1176.9	34.4
33	2	7/15	2001	2031	21°34'	169°28'	-	S
34	1	7/16	1000	1030	19°42'	169°41'	-	S
35	1	7/17	0110	0140	17°45'	169°31'	1029.7	27.4
35	2	7/17	0112	0142	17°45'	169°31'	1100 5	S
37	1	7/19	2005	2035	16°02'	169°17'	1102.5	28.3
37	2	7/19	2007	2037	16°02'	169°17'	-	S
38	1	7/20	1009	1039	16°02'	167°26†	-	S
39	1	7/21	0107	0137	17°46'	167°11'	1294.9	31.4
39	2	7/21	0108	0138	17°46'	167°11'	-	S
40	1	7/21	1006	1036	19°00'	167°08'	-	S
41	1	7/21	2000	2030	20°24'	167°06'	1228.6	31.6
41	2	7/21	2002	2032	20°24'	167°06¹	-	S
42	1	7/22	1009	1039	22°29'	167°05'	-	S
43	1	7/23	0100	0130	23°42'	165°24'	2218.7	30.1
43	2	7/23	0101	0131	23°421	165°24'	_	S

^{1/} Surface tow; sample weight not determined.

Table 9.--Zooplankton station positions and sample weights,

Charles H. Gilbert cruise 53. Hauls were oblique,
from 60 m. to the surface, except where indicated
by S (surface tows) (con.)

		Date,	Tin			tion	Water	Weight
Station	Sample	1961	(ZI		Lat. N.	Long. W.	strained	$(g./1,000 \text{ m.}^3)$
			Begin	End			(m. ³)	
44	1	7/23	1001	1031	23°591	164°07'		s <u>1</u> /
	1						1211 6	
45	1	7/23	2105	2135	24°04'	162°40'	1311.5	52.4
45	2	7/23	2106	2136	24°04	162°40'	-	S
46	1	7/24	1103	1133	22°33'	162°04'	-	S
48	1	7/25	0206	0234	20°25'	162°15'	1280.7	30.7
48	2	7/25	0207	0237	20°25'	162°15'	-	S
49	1	7/25	1104	1134	19°02'	162°07'	-	S
50	1	7/25	2105	2135	17°30'	161°56'	1362.7	30.6
50	2	7/25	2106	2136	17°30'	161°56'	-	S
51	1	7/26	1058	1128	16°59'	160°20'	-	S
52	1	7/27	0208	0238	18°57'	159°59'	1516.8	29.3
52	2	7/27	0209	0239	18°57'	159°59'	-	S
53	1	7/27	1100	1130	20°16'	159°53'	_	S
54	1	7/27	2106	2136	21°50'	159°54'	1246.6	36.9
54	2	7/27	2105	2135	21°50'	159°54'	1240.0	S
55	1	7/28	1102	1132	23°38'	159°44'		S
56	1	7/29	0205	0235	24°04'	157°43'	1217.2	66.9
56	2	7/29	0205	0236	24°04'	157°43'	1217.2	S
57	1	7/29	1109	1139	23°40'	157°06'	_	S .
	1						025 6	117.42/
58	1	7/29	2100	2130	22°38'	157°40'	935.6	11/,42
58	2	7/29	2101	2131	22°381	157°40'	-	S

N = 21Tota1 = 831.7 $\bar{x} = 39.6$

 $[\]frac{1}{2}$ / Surface tow; sample weight not determined. $\frac{2}{2}$ / Large number of salps present in sample, value not included in averaging of zooplankton weights.

Table 10. -- Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 51

Date,	Time	Posit		Bird flock,		face fish sch			c mammals
1961	(ZT)	Lat. N.	Long. W.	sightings-1	Species	Size of	Size of	Whales	Porpoise
						fish (lb.)	school		
1 /10				4	$ND^{\frac{2}{}}$				
1/18	1145	21°08'	157°47'	X (25)		-	-	-	-
	1325	20°54'	157°42'	X (250)	Skipjack	12	Large	-	-
	1455 3/	20°42 1	157°37'	X (150)	Skipjack	10	Large	-	-
	1200-1600-3/	20°33'	157°34'	-	-	-	-	2	-
1/19	0820	18°38'	155°55'	X (50)	ND	-	-	-	-
	0825	18°37'	155°55'	X (75)	ND	-	-	-	-
	0916	18°30'	155°49'	X (40)	ND	-	-	-	-
	1420	17°59'	155°22'	X (75)	ND	-	-	-	-
1/21	1455	18°08'	151°41'	-	Skipjack	10	Small	-	-
1/22	1200-1600	21°30'	151°30'	-	-	-	-	1	-
1/25	1300	20°13'	154°12'	-	Dolphin	5	Small	-	-
	0800-1200	20°21'	154°12'	-	-	-	-	-	50
1/27	1325	16°18'	156°55'	-	Skipjack	6	-	-	-
	1410	16°25'	156°58'	X (150)	ND	-	-	-	-
	1420	16°26'	156°59'	X (175)	ND	-	~	-	-
	1450	16°31'	157°00'	X (50)	ND	-	-	-	-
	1520	16°35'	157°02'	X (100)	ND	-	-	-	-
	1525	16°35'	157°02'	X (75)	ND	-	-	-	-
	0800-1200	16°08'	156°50'	-	- 1	-	-	-	1
1/28	0745	18°50'	157°29'	X (20)	ND	-	-	-	-
	0750	18°51'	157°29'	X (5)	ND	-	Small	-	-
	0805	18°53'	157°30'	X (40)	ND	-	-	-	-
	0830	18°57'	157°30'	X (15)	ND	-	-	-	-
	0855	19°01'	157°31'	X (20)	ND	-	-	-	-
	0920	19°04'	157°32'	X (15)	ND	-	-	-	-
	0950	19°09'	157°32'	X (10)	ND	-	-	-	-
	1020	19°15'	157°33'	X (150)	ND .	-	-	-	_
	1025	19°16'	157°33'	X (25)	ND	-	-	-	-
	1240	19°33'	157°36'	-	Dolphin	-	-	-	-
	1255	19°35'	157°36'	X (25)	ND	-	-	-	-
	1350	19°44'	157°37'	X (15)	ND	-	-	-	-
	1410	19°47'	157°37'	X (15)	ND	-	-	-	-
	1450	19°53'	157°37'	X (20)	ND	-	-	-	-
	1525	19°58'	157°37'	X (15)	ND	-	-	-	-
	1540	20°01'	157°37'	X (15)	ND	-	-	-	-
	1625	20°07'	157°37'	X (11)	ND	-	-	-	-
	1700	20°14'	157°37'	X (13)	ND	-	-	-	-
	1720	20°17'	157°37'	X (75)	Skipjack	Medium	-	-	-
	1800	20°23'	157°36'	X (20)	ND		-		-
2/2	1725	16°41'	159°21'	X (40)	ND	-	-	-	-
2/3	1000	16°07'	161°10'	X (30)	ND	-	-	-	-
2/4	1750	19°27'	162°29'	X (60)	ND	-	-	-	-
2/5	0855	21°41'	162°27'	X (60)	ND	-	-	-	-
	1250	22°02'	162°13'	X (25)	ND	-	-	-	-
	1635	22°02'	161°40'	X (11)	ND	-	-	-	-
	1655	22°02'	161°37'	X (20)	ND	-	-	-	-
2/7	0755	22°08¹	161°27'	X (60)	ND .	-	-	-	
	0912	22°09'	161°40'	X (12)	ND	-	-	-	-
	0915	22°09'	161°46'	X (18)	ND	-	-	-	-
	1130	22°15'	162°03'	X (30)	ND	-	-	-	-

 $[\]frac{1}{2}$ / X = Bird flock; (N) = number of birds in flock. $\frac{2}{2}$ / ND = Not determined. $\frac{3}{2}$ / All designated observations were totaled for 4-hour periods. Stated positions are those at end of each period as designated.

Table 10.--Record of surface fish school, bird flock, and aquatic mammal sightings,

<u>Charles H. Gilbert cruise 51 (con.)</u>

Date,	Time	Posit	ion	Bird flock,	Sur	face fish sch	ools	Aquati	c mammals
1961	(ZT)	Lat. N.	Long. W.	sightings_1/	Species	Size of	Size of	Whales	Porpoise
						fish (lb.)	school		
2/7	1225	22°10'	162°10'	7 (//0)	ND2/				
2//	1230	22°10'	162°10'	X (40)	ND ND	-	-	-	_
	1250	22°12'	162°16'	X (30)	ND ND			-	_
	1355	22°12'	162°27'	X (25) X (15)	ND		_		_
	1400	22°12'	162°27'	X (10)	ND				
	1410	22°13'	162°28'	X (30)	ND	_	_		
	1442	22°18'	162°28'	X (13)	ND	_	_		
	1535	22°28'	162°29'	X (25)	ND	_	_		
	1545	22°29'	162°29'	X (65)	-	_	_		
	1555	22°30'	162°29'	X (70)	-	_	_	_	_
	1333		102 27	1 (,0)					1
	1625	22°31'	162°29'	X (100)	_	_	_	_	_
	1200-1600-3/	22°30'	162°28'	-	_	_	_	2	_
	1600-2000	23°06'	162°30'	-	-	-	_	1	-
2/8	0930	23°56'	163°34'	X (40)	ND	-	_	_	_
2/17	1200-1600	24°02'	168°11'	-	-	_	_	1	_
	1600-2000	24°02'	167°29'	_	_	_	_	10 Pil	ot -
								wha	les
2/19	1200-1600	23°56'	166°02'	-	_	-	-	-	3
2/20	0400-0800	23°26'	164°34'	-	-	-	-	-	12
2/25	1045	20°08'	159°24'	-	ND	-	_	-	-
	1255	20°26'	159°25'	X (75)	Yellowfin	10	Large	-	-
	1340	20°29'	159°25'	X (100)	Skipjack	03	Large	-	-
	1414	20°38'	159°29'	X (15)	ND	-	-	-	-
2/27	0820	24°11'	157°58'	X (100)	Skipjack	-	-	-	-

 $[\]frac{1}{2}$ / X = Bird flock; (N) = number of birds in flock. $\frac{2}{2}$ / ND = Not determined. $\frac{3}{2}$ / All designated observations were totaled for 4-hour periods. Stated positons are those at end of each period as designated.

Table 11.--Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 52

Date,	Time	Pos 1	tion	Bird flock,	Surfa	ace fish sch	ools	Aquati	c mammals
1961	(ZT)	Lat. N.	Long. W.	sightings1/	Species	Size of	Size of	Whales	Porpoise
						fish (lb.)	school		
					2/				
4/4	1610	21°52'	158°42'	X (100)	ND_	-	-	-	-
4/6	0800	22°02'	162°29'	X (200)	Skipjack	1	Large	-	-
	0955	22°02'	162°46'	X (15)	ND	-	-	-	-
	1330	22°03'	163°12'	X (60)	ND	-	-	_	-
	1535	22°01'	163°29'	X (150)	ND	-	Large	_	-
	0800-12003/	22°02'	162°59'	-	-	-	-	1	-
	1200-1600	22°01'	163°34'	-	-	-	-	1	_
4/7	1130	22°09'	166°05'	X (30)	ND	-	-	-	_
4/9	0905	24°051	166°48'	X (25)	Little tuna	-	Small	_	_
	1505	23°48'	167°08'	X (10)	-	-	-	-	-
	1550	23°41'	16 7° 08'	X (50)	ND	_	-	_	_
	1730	23°23¹	167°08'	X (30)	ND	-	_	_	_
	1200-1600	23°391	167°08'	-	-	_	_	7	_
4/10	1020	22°09¹	166°58'	X (100)	Skipjack -	3 (skip	- Small	_	_
.,				(/	Bigeye	jack			
	1450	22°06'	167°08'	X (125)	Skipjack	2	Small	_	_
	1530	22°02'	167°11'	X (100)	Skipjack	ī	Small	_	_
	1830	21°53'	167°31'	X (75)	Skipjack	2	Small	_	_
4/11	1320	19°28'	166°06'	X (50)	Skipjack	1	Small	_	_
4/12	0815	19°39'	168°16'	X (12)	ND	1	_	_	_
4/13	0930	16°48'	168°23'	X (10)	ND	_	Small	_	
.,		-		Λ (10)			Duart		
	1100	16°44'	168°33'	X (150)	Skipjack	3	Medium	-	-
	1445	16°42'	169°06'	X (100)	Skipjack	14	Small	-	-
	1600	16°39'	169°13'	X (40)	ND	-	-	-	-
	1610	16°38'	169°13'	X (150)	Skipjack	4	Medium	-	-
	1620	16°36'	169°11'	X (-)	ND	-	-	-	-
	1720	16°37'	169°16'	X (350)	ND	-	-	-	-
	1725	16°37'	169°16'	X (150)	ND	-	- 1	-	-
	1800	16°40'	169°22'	X (150)	ND	-	-	-	-
	1808	16°41'	169°24'	X (100)	ND	- 1	-	-	-
	1810	16°41'	169°24'	X (150)	ND	•	-	-	-
	1821	16°41'	169°26'	X (150)	ND	-	_	-	-
	1823	16°41'	169°26'	X (550)	ND	-	-	-	-
4/14	0730	16°42'	169°30'	X (40)	-	-	-	-	-
	0830	16°34'	169°30'	X (250)	Skipjack	1	-	-	-
	0850	16°29'	169°30'	-	ND	-	-	-	-
	0950	16°26'	169°29'	X (100)	Skipjack	3	Small	- 1	-
	1215	16°16'	169°30'	X (150)	ND	-	Small	-	-
	1415	16°18'	169°34'	X (150)	Skipjack	3	Small	-	_
	1200-1600	16°28'	169°33'	-		-	-	1	-
4/17	1430	16°37'	169°12'	X (25)	ND	-	-	-	**
	1452	16°37'	169°12'	X (200)	Skipjack	_	-	_	-
	1500	16°41'	169°21'	X (150)	ND	-	-	-	-
	1610	16°42'	169°29'	X (100)	ND	-	-	-	-
4/18	0810	16°36'	169°34'	X (100)	ND	-	-	_	-
	0911	16°31'	169°41'	X (30)	Skipjack	4	Small	-	-
	0945	16°27'	169°45'	X (200)	ND	-	-	-	_
	1033	16°32'	169°47'	X (125)	ND	-	-	-	_
	1055	16°34'	169°49'	X (75)	ND	-	-	-	-
	1515	16°40'	169°37'	X (50)	Skipjack	20	Small	-	-

 $[\]frac{1}{2}$ / X = Bird flock; (N) = number of birds in flock. $\frac{2}{2}$ / ND = Not determined. $\frac{3}{2}$ / All designated observations were totaled for 4-hour periods. Stated positions are those at end of each period as designated.

Table 11. -- Record of surface fish school, bird flock, and aquatic mammal sightings, Charles H. Gilbert cruise 52 (con.)

Date,	Time	Posi	tion	Bird flock	Sur	face fish scho	ools	Aquati	c mammals
1961	(ZT)	Lat. N.	Long. W.	sightings1/	Species	Size of	Size of	Whales	Porpoise
	\					fish (1b.)	school		
					ND2/				
4/19	1617	16°58'	169°27'	X (250)		-	-	-	-
	1650	17°03'	169°26'	X (200)	ND	-	-	-	-
	1715	17°04'	169°25'	X (150)	ND	-	-	-	-
4/20	0815	19°10'	168°32'	X (100)	ND	-	-	-	**
	1150	19°45'	168°17'	X (11)	ND	-	-	-	-
	1625	20°26'	167°56'	X (12)	ND	~	-	-	_
	1200-16003/	20°27'	167°58'	- 40 "	-	-	_	-	6
4/21	1155	23°05'	166°39'	X (25)	ND	-	-	-	-
	1250	23°11'	166°35'	X (11)	ND	-	-	-	-
	1255	23°13'	166°35'	X (50)	ND	-	-	-	-
	1444	23°25'	166°30'	X (30)	ND	_	_	_	_
	1448	23°26'	166°29'	X (25)	ND	_	_	_	_
4/26	Poor scoutin			, , ,	ND		_		
4/27	0925	21°41'	167°15'	X (15)	ND	_	_	_	_
4/2/	1200-1600	21°17'	166°30'	- (13)	ND -	_		4 Spe	rm =
4/28	1235	20°04'	164°48'	X (25)	Skipjack	8	Small	4 3pe	1 -
4/30	1015	19°33'	160°26'	A (23)	ND	1	Small		
4/30	1410	19°19'	159°58'	X (23)	Skipjack	2	Small	_	_
5/1	0755	18°30'	158°50'	X (100)	ND	_	Julian		
J/ I	0850	18°30'	158°45'	X (75)	ND			_	_
	0030	10 00	150 45	Α (73)	110				
	1110	18°27'	158°32'	X (100)	Yellowfin	10	-	-	_
	1220	18°24'	158°28'	X (12)	Dolphin	15	Small	-	-
	1724	18°33'	158°22'	X (300)	Skipjack	5	Large	-	_
	1730	18°33'	158°22'	x (300)	Skipjack	5	Large	-	-
5/2	0755	20°45¹	158°03'	x (30)	ND	-	=	_	-
27=	0850	20°50'	158°01'	X (150)	Skipjack	2	Large	_	_
	0945	20°55'	157°58'	X (25)	ND	-		_	-
	1000	21°04'	157°55'	X (50)	ND	-	_	_	_
5/4	1530	21°11'	157°49'	X (20)	ND		_	_	-
214	1601	21°07'	157°48'	x (400)	ND	-	-	-	-
						•			
	1608	21°06'	157°47'	X (200)	ND	-	-	-	-
	1611	21°06'	157°47'	X (75)	ND	on.	-	-	-
	1611	21°06'	157°47'	X (200)	ND	-	-	-	-
	1621	21°05'	157°47'	X (150)	ND	-	-	-	-
	1626	21°04'	157°47'	X (125)	ND	-	-	-	-
	1635	21°03'	157°46'	X (100)	Skipjack	-	-	-	-
	1645	21°01'	157°46'	X (60)	ND	-	-	-	-
	1735	20°55'	157°441	X (100)	ND	-		-	-
	1801	20°51'	157°43'	X (25)	ND	-	-	-	-
	1815	20°47'	157°42'	X (100)	ND	-	-	-	-
E IE	0000	100/01	3578/51	** (050)	11				
5/5	0922	18°49'	157°45'	X (250)	Yellowfin	-	-		-
	1030	18°56'	157°53'	X (100)	ND	-	-	-	-
5.45	1610	18°42'	158°34'	X (15)	ND	-	G 11	-	_
5/7	0940	19°39'	156°05'	X (40)	Yellowfin	-	Small	-	-
	1018	19°47'	156°06'	X (75)	Skipjack	6	Small	-	50
5/8	0400-0800 0735	19°35' 20°09'	156°10' 155°57'	- X (12)	ND ND	-	- Small	-	50
			1 1 2 2 - 2 / .	V (17)		-	Small	-	-

 $[\]frac{1}{2}$ / X = Bird flock; (N) = number of birds in flock. $\frac{2}{2}$ / ND = Not determined. $\frac{3}{2}$ / All designated observations were totaled for 4-hour periods. Stated positions are those at end of each period as designated.

Table 12.--Record of surface fish school, bird flock, and aquatic mammal sightings,

<u>Charles H. Gilbert</u> cruise 53

Date,	Time	Pos	ition	Bird flock	Sur	face fish sch	0018	Aguati	c mammals
1961	(ZT)	Lat. N.	Long. W.	sightings 1/	Species	Size of	Size of	Whales	Porpoise
1701	(21)	Lat. N.	Long. w.	3 Ignerings-	Species	fish (1b.)	school	Wilales	rorporse
						22011 (2017)	5001		
6/23	1340	21°09'	157°42'	X (50)	ND	-	_	-	_
-,	1430	21°07'	157°40'	X (200)	ND	_	-	-	-
	1835	20°51'	157°13'	X (150)	ND	-	_	_	_
6/30	0630	21°03'	154°02'	X (50)	Skipjack	4	Small	-	-
	1004	20°26'	154°01'	x (35)	ND	-	Small	-	-
	1015	20°24'	154°01'	X (29)	ND	-	-	-	-
	1045	20°19'	154°01'	X (13)	ND	-	Medium	-	-
	1100	20°16'	154°01'	X (60)	ND	-	-	-	-
	1340	19°52'	154°00'	X (50)	Dolphin	-	Medium	-	-
	1420	19°35'	154°00'	X (50)	ND	-	Small	-	-
	1515	19°26'	154°00'	X (75)	ND	-	Large	-	-
	1522	19°26'	154°00'	X (50)	ND	-	Medium	-	~
	1630	19°22'	154°00'	X (50)	ND	60	Medium	-	-
	1712	19°13'	154°00'	X (50)	Skipjack -	20 (Skip	- Medium	-	-
					Dolphin	jack)		
7/3	0610	20°36'	157°50'	X (50)	ND	-	-	-	-
	0725	20°52'	157°53'	X (100)	ND	-	-	-	-
	0801	20°55'	157°54'	X (15)	ND	-	-	-	-
7/10	1330	15°59'	164°00'	X (18)	ND	-	•	-	-
7/11	1604	19°23'	164°46'	X (200)	Skipjack	6	Medium	-	-
7/12	0800	21°49'	164°40'	X (100)	ND	-	-	-	~
	4-1-								
	1747	23°06'	164°37'	X (100)	ND	-	-	-	-
7/10	1830	23°17'	164°36'	X (100)	ND	-	-	-	-
7/13	0945	23°55'	166°10'	X (200)	ND	-	-	-	-
7/14	0930	23°52'	166°29'	X (75)	ND	-	-	-	-
7/22	1415 0815	23°53'	167°10'	X (50)	ND	-	-	-	-
1122	0830	22°11' 22°13'	167°08' 167°08'	X (50)	ND	-	-	-	-
	1045	22°35'	167°05'	X (100) X (50)	ND ND	-	_	-	-
7/23	1050	24°00'	163°56'	X (75)	ND	-	_	_	_
7/24	1305	22°21'	162°07'	X (100)		15	Small	_	_
1/24	1303	22 21	102 07	X (100)	Skipjack	13	Smarr	_	_
7/26	0800	17°00'	160°45'	X (50)	ND				
.,20	1845	17°45'	160°00'	X (100)	ND	_	_	_	_
7/27	0755	19°49'	159°56'	X (150)	Skipjack	15	Small	_	_
.,	0830	19°54'	159°56'	X (60)	ND		- Date L		_
	1625	21°06'	159°54'	x (50)	ND	-	_	-	_
				. (55)					
									

 $[\]frac{1}{2}/$ X = Bird flock; (N) = number of birds in flock. $\frac{1}{2}/$ ND = Not determined.

Table 13.--Record of surface trolling catch data for three survey cruises in Hawaiian waters in 1961

Cruise	Date,	Time		tion	Catc	
	1961	(ZT)	Lat. N.	Long. W.	Species	Number
charles H. Gilbert 51	1/21	1410	18°01'	151°41'	Dolphin	1
		1450	18°08'	151°41'	Skipjack	1
	1/25	1300	20°12'	154°11'	Dolphin	2
	1/27	1800	16°06'	154°12'	11	1
	2/1	1300	20°34'	158°07'	11	1
	2/2	1450	17°03'	159°16'	ti I	2
	-/-	1600	16°53¹	159°18'	11	1
		1645	16°48'	159°20'	11	15
		1045	10 40	137 20	Yellowfin	1
	2/16	1815	22°22'	169°28'.	Dolphin	2
		1		168°41'1/	Yellowfin	3
	2/19	1300	24°01'	100 41 -		
				1500/31	Wahoo	1
	2/24	0550	16°07'	159°47'	Dolphin	1
	2/25	1315	20°28'	159°25'	Yellowfin	2
	1	1500	20°40¹	159°26'	Dolphin	1
Charles H. Gilbert 52	4/4	1215	21°32'	158°16'	11	2
	4/5	1145	22°08'	159°51'	Yellowfin	1
	4/6	1045	22°02'	162°45'	Dolphin	1
		1535	22°01'	163°29'	- 11	1
	4/7	0915	21°59'	166°02'	11	1
	4/9	0710	23°50'	166°24'	Yellowfin	1
	-1/2	1018	24°11'	166°52'	Little tuna	2
		1120	24°16'	167°02'	II to the state of	1
		1125	24°17'	167°03'	11	2
		1	24°12'	167°07'	Dolphin	1
	/ /12	1235	1	1		2
	4/13	1840	16°41'	169°28'	Yellowfin	
	4/14	1355	16°18'	169°34'	Dolphin	1
	4/17	0735	16°43'	169°28'	Yellowfin	1
		0745	16°43'	169°25'	11	2
· ·		0800	16°44'	169°05'	11	1
		1700	16°42'	169°30'	Dolphin	1
					Wahoo	1
		1730	16°43'	169°31'	Yellowfin	1
					Jack	1
	4/18	0730	16°36'	169°36'	Yellowfin	2
	1,7-0	0740	16°35'	169°38'	11	1
	4/19	1348	16°53'	169°29'	Jack	1
	4/19	1640	16°59'	169°26'	Dolphin	î
			I.	169°25'	DOIDHIH	1
	/ /00	1650	17°00'		11	1
	4/20	1640	20°28'	167°56'	"	
	4/21	1350	23°18'	166°32'		1
		1545	23°33'	166°25'	11	2
		1550	23°34'	166°30'	11	2
		1700	23°43'	166°21'	Little tuna	2
	4/26	0835	23°44"	166°17'	H	2
		0900	23°45'	166°16'	11	1
		1030	23°32'	166°24'	Dolphin	1
	4/29	1500	19°32'	162°23'	Wahoo	1
	4/30	0730	19°40'	160°47'	Barracuda	1
	5/1	0720	18°34'	158°56'	Dolphin	1
	3/1	1230	18°25'		11	1
	5/5	0600	19°13'	158°28' 1/	Yellowfin	1
	1	1	20°58'	157°22'	Dolphin	1
	5/13	1330				2
		1400	21°00'	157°27'	Yellowfin	2

 $[\]underline{1}/$ Position at setting of trolling lines; no other data available.

Table 13.--Record of surface trolling catch data for three survey cruises in Hawaiian waters in 1961 (con.)

Cruise	Date,	Time	Posi	ition	Cato	h
	1961	(ZT)	Lat. N.	Long. W.	Species	Number
Charles H. Gilbert 53	6/23	1410	21°15'	157°52'	Dolphin	1
		1423	21°13'	157°49'	11	1
	6/29	1255	23°30'	154°04'	11	1
	7/1	1520	16°12'	155°06'	11	1
	7/12	1858	23°24'	164°34'	Little tuna	2
	7/17	0930	16°46'	169°34'	Wahoo	1
	7/21	1600	19°48'	167°05'	Dolphin	1
	7/29	0630	24°03'	157°10'	11	2

Table 14.--Common and scientific names of fishes reported in tables 10-13

Common name	Scientific name				
Dolphin	Coryphanena hippurus Linnaeus				
Skipjack tuna	Katsuwonus pelamis (Linnaeus)				
Yellowfin tuna	Neothunnus macropterus (Temminck and Schlegel)				
Bigeye tuna	Parathunnus sibi (Temminck and Schlegel)				
Little tuna	Euthynnus yaito Kishinouye				
Bonito	Sarda orientalis (Cuvier and Valenciennes)				
Wahoo	Acanthocybium solandri (Cuvier and Valenciennes)				
Barracuda	Sphyraena nigripinnis Temminck and Schlegel				
Jack	Caranx sp.				

Table 15. -- Record of skipjack tagging

Cruise	Date,	Position		Number	Average
	1961	Lat. N.	Long. W.	tagged	size (lbs.)
Charles H. Gilbert 51	4/13 4/14 4/18	16°44' 16°42' 16°38' 16°26' 16°18'	168°33' 169°06' 169°12' 169°29' 169°34' 169°38'	72 24 11 13 67 54	2-3 12-14 4 2-3 2-3 5









